





52	1300	24	8.0 / 7.4	15/20	88
56	1400	24	9.0 / 8.4	15/20	96
64	1600	24	9.0 / 8.4	15/20	108
72	1800	24	10 / 9.0	15/20	120
80	2000	24	10.6 / 9.8	15/20	128
88	2200	24	11.5 / 10.5	15/20	136
100	2500	24	11.8 / 10.8	15/20	140
120	3000	24	13.0 / 12	15/20	160
140	3500	24	13.5 / 12.5	15/20/30	180

□□□□ □□□□□□7.2□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□



□□□□□□□□□□□□7.2□□□□□



M shape Multi Layer Structure,  
Good debris removal and better cooling

□□□□□□□□□□□□□□7.2□□□□ □□□□□□□□□□□□□□□□

## Applicable materials



To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.





SPK: 24\*8.4/7.6\*15M  
DIA: 600-1800/2000  
FOR Granite  
NUM: 100Pcs  
SD604 6-18/20 U115 K45  
DATE: 2013.03.26





# Single Blade



□□□□






Fan Shape Edge Segment



Normal Shape Edge Segment



W Shape Edge Segment



K Shape Block Segment



V Shape Block Segment




M Shape Block Segment



Slant Slot Edge Segment




Turbo Shape Edge Segment



U Slot Edge Segment







□□□□□







1. RPM
- 2.
- 3.

3.

## Fujian Nanan *boreway* Machinery Co.,Ltd.

 605362342

 +86595-86990206 /  +86595-86990220

 / **WhatsApp** / + 86 13559599186

 [boreway06@boreway.net](mailto:boreway06@boreway.net)

