

14 00 0000 00000 00000 00 0 00 000 00000 :



0 00 00 0000 00000 0000 00 000 000 000 00 000 00 0 000 000000 00000000.

000 000 00 0000 00000 0000 0000 00 00000 000000 0000 000000 000000 00 00 0 00000.

000 0000 000000 0000 00 00 00 000 00 00000!

1. 在 300-1000 mm 范围内，应设置不少于 2 道的加强筋，且应设置在板的上部。

300-1000 mm 范围内加强筋设置					
板厚		加强筋间距			板厚
mm	mm	mm	mm	mm	mm
12	300	40	10		21
14	350	40	3.2	10/12	24
16	400	40	3.6	10/12/15	28
18	450	40	4	10/12/15	32
20	500	40	4.2	10/12/15	36
24	600	40	4.6	10/12/15	42
26	650	40	4.6	10/12/15	46
28	700	40	4.6	10/12/15	50
30	750	40	4.8	10/12/15	54
32	800	40	4.8	10/12/15	54
35	900	40	4.8	10/12/15/20	56
40	1000	40	5.2	10/12/15/20	58

2. 在 300-1000 mm 范围内，应设置不少于 2 道的加强筋，且应设置在板的上部。



2. 在 300-1000 mm 范围内，应设置不少于 2 道的加强筋，且应设置在板的上部：

在 300-1000 mm 范围内，应设置不少于 2 道的加强筋，且应设置在板的上部。

在 300-1000 mm 范围内，应设置不少于 2 道的加强筋，且应设置在板的上部。

在 300-1000 mm 范围内，应设置不少于 2 道的加强筋，且应设置在板的上部。

14. 在 300-1000 mm 范围内，应设置不少于 2 道的加强筋，且应设置在板的上部：



□□ :

□□□□ □□□□□ □□□□ □□. □□ □□□, □□ □□ □□□, □□□□ □□□□□□.

## Applicable materials



To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.








Reinforced Concrete



Concrete Block




Rock/Granite



Refractory Brick



Hard Masonry Block



Asphalt Road


□□ : □□□ □□□ □□ □□ □□, □□□□ □□ □ □□, □□□ □□□□□.

□□ :

□□□□ □□□□□ □□□□ □□ :

1. □ □□ □□□□ □□□□□ □□□□ □□ □□□ □□.
2. □□□ □□ □□ □□.
3. □□ □□ □□, □□, □□□□ □ □□.
4. Silent □ non-silent □□□□□ □□□ □□□ □ □□□□.

□□ & ensp □□ :



A horizontal number line with arrows at both ends. Below the line are boxes for tens and ones. There are 10 boxes in total, each containing a '0'. The boxes are arranged in pairs of five, with a gap between the two pairs. The first pair of boxes is labeled '10' above them, the second pair is labeled '20' above them, and the third pair is labeled '30' above them. The boxes are labeled '0' inside them.

100

□□□	□□□	□□	□□	□□□□	□□□	□□□□	:
-----	-----	----	----	------	-----	------	---



## Packing & Delivery:

1. Tools packing in carton cases;
2. When tools are in large quantities, they are packing in wooden cases.

# -DELIVERY-

Less than 45kg,generally delivery by express(Door to Door).



By Air / Sea for batch goods, Airport / Port receiving.

BY AIR



BY SEA



□□□ □□□:

1. □□ □□ □□ : □□□ □□□ □□□ □□.
2. □□ □□ :□□ □□□□□□□ □ □□ □□□□□□□.
3. OEM □□ : □□□ □□ □□ □□□ □□ □□ □ □□□□.
4. □□ □□ : □□□ □□□ □□ □□ □□□□ □□□□. □□□□ □□ □□□ □□ □□□□.
5. □□ □□□ : □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□ □□□□□.

□□□□ □□:

1. □□□ □□□ □□□ □□□□ □□ □□□, □□□ □□□ □□□ □□ □□□□?  
□□ □□□□ □□□□□ □□□ □ □□□□. □□□ □□□ □□ □□□□  
□□□□ □□ □□ □□□□ □□ □□ □□. □□□ □□ □□□□□□□□  
□□ □□□ 8 □ □□□ □□ □□□□.
2. □□□ □□ □□□ □□?  
□□□ □□ □□□ □□□□ □□□□. □□□□ □□□ □□□□ □□□ □□ □□□□ □□□□.  
□□□ □□□ □□□ □□ □□□ □□□□□□ □□□ □□□ □□□□ □ □□□□.  
□ □□. □□□ □□ □□□□ □□□ □□ □□□ □□ □ □□□□□□□□□. □□ □□□□□□  
□□□ □□ □□□ □□□□□□□□.
3. □□□□ □□□ □□□ □□□□□?  
□□, □□□ □□□ □□□ □□□□□□□. □□ □□, □□ □□ □□ □□□□ □□ □□□ □□□ □□ □□□□.



[illegible]

11

□□□□□ □□ □□□ □□□□ □□ □□□ □□□□□□.

□□ □□ □□  
 □□ (□□ □□ mm)  
 □□ □□ □□ (□□ □□ mm)  
 □□ □□ (□□ □□□□ □□□□ □□)  
 □□□□ □□ □□□□ □□ □□  
 □□□□ □□ (□□□□ □ □ □□ PC □□□□)  
 □□□□ □□ (L x W x H, □□□□ □□ □□ □□□□□□)  
 □□ □□ (□□□, □□□□ □□ □□ □□)  
 □□ (□□□□ □□ PC □□□□ □)  
 □□ □□ / RPM (□□□□ □□)  
 □□ □□□  
 □□ □□ □□ (If)

11

Fujian Nanan **boreway**® Machinery Co.,Ltd.

No.605 Huahui Center, Shuitou Town & ensp362342 00 00 0 0 00

☎ ☎ ☎ : (+86) 595-86990206 / &ensp; 📞 ☎ ☎ : (+86) 595-86990220

📱 / **WhatsApp / Wechat** :&ensp; (+ 86) 13559599186

 **0000**: [boreway06@boreway.net](mailto:boreway06@boreway.net)

