

**Introduction:**

40# Electroplated CNC Diamond Profiling Grinding Wheel for beads is suitable for marble, granite and other stone lines, line plate molding, can also be used for grinding of ceramics, glass, jewelry and other materials, with no deformation grinding, fast, good finish, wear resistance good, long life and other characteristics, suitable for CNC machine tools, milling machine, line machine.

**Features:**

1. Different shapes and sizes are available.
2. Good balance and stable performance.
3. Sintered segment is aggressive for easy and quick stock removal.

**Specifications:**

The followings are the normal specification of our 40# Electroplated CNC Diamond Profiling Grinding Wheel:

Product Name	Diameter	Thickness	Inner Hole	Application	Shape Type
Diamond grinding wheel	150mm	20/30/40	30	Granite Marble ceramic tile glass	Bullnose Single Dupont Single Bullnose Half Radius Single Threshold Single Edge Ogee Bullnose Bevel Double Ogee Double Radius Top Chamfer Other Types
	200mm	20/30/40	30		
	250mm	20/30/40	50		
	300mm	20/30/40	50		
	350mm	20/30/40	50		

The above specification just for a reference. Other specification can be ordered by customers.

**Picture:**

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Contact Us:**

**Fujian Nanan *boreway*® Machinery Co.,Ltd.**

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)

 **Lyon Chang**