Introduction:

Automatic Welding Lifting Rack for Diamond Saw Blades can weld diamond saw blade from ø240mm to ø900mm (Max ø1400mm can be welded after being boosted 500mm high). Compared with similar welding machine with a high level of automation, positioning accuracy, stability, and long service life. This series of products using user-friendly design, general workers can operate on the machine.

Feature:

- 1. Welding diameter range: 240 ~ 900 mm.
- 2.Cylinder clamping saw blade base to ensure welding accuracy.
- 3.Small size, light weight, simple operation, general training can be operated simply.

Specification:

Specification of Automatic Welding Lifting Rack for Diamond Saw Blades:

	Model No: BWM-HJ08
Welding Range	Ф240mm - 900mm(Max 1400mm)
Verticality	≤± 0.3mm
Parallelism	≤± 0.3mm
Welding Rate	4-20 PCS/Min
Air Pressure	0.3 - 0.6Mpa
Water Pressure	≥ 0.2Mpa
Voltage	220V (Single-phase)50Hz
Power(From LED Light)	1.0W
Water Consumption	1.5 - 2m³/h
Machine Dimensions	L940*W440*H1440mm
Equipment Weight	85Kg
Package Dimensions	L1600*W520*H550(Horizontally)
Package Weight(Wooden	115Kg
Package)	

Note :This machine doesn't include high frequency Welding machine , air compressor and water pump.

Picture:

Automatic Welding Lifting Rack for Diamond Saw Blades



Œ




Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com













High frequency machine





Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd. Address: Shuitou Town,Quanzhou, Fujian, China

Post Code: 362342

TEL: (+86)595-86990206 FAX: (+86)595-86990220 WhatsApp:+86-18650679939 Email:boreway02@boreway.net