

Product Description

Redi lock Bush hammer roller for non-slip finish, remove resin epoxy coating, refurbish different floor surfaces, make antique surfaces, expose concrete aggregates, and use it for the preset of new floor coatings.

Redi lock Bush Hammer With 30 Tip, is use for Terrco floor grinding machine.

Redi lock 30 Teeth bush hammer roller is specially designed for Terrco floor grinding machine.

Used for Stone, Concrete Floor, Asphalt Pavement. 30 teeth and 45 teeth grinding wheels can be used to ensure a variety of product options. Some carbide tips make our tips more durable.

The more and denser the layout of the cutter head, the finer the polishing effect. If the layout of the cutter head is less and sparse, the polishing effect will be rougher.

Feature:

1. Easily Replaceable Cutters
2. Create non-slip surfaces on concrete and pavers
3. Make removal of coatings from concrete and asphalt easy
4. Remove traffic lines from bitumen and concrete and other surfaces with ease and speed without excessive damage to the surface

Specification:

The Followings Are The Normal Specifications Of Our **Vacuum Brazing Bush Hammer Roller With Base:**

No. of Tips	Feature	Application	Machine
30 Pin	With Redi Lock Base	Stone, Concrete Floor, Asphalt Pavement	For Terrco Floor Grinding Machine

The above specifications are for reference, other specifications can be ordered by customers.

More normal specification of **rotary bush hammer roller:**

Model	Out Diameter	Wheel Width	Segment Quantity	Segment Diameter	Remark
-------	--------------	-------------	------------------	------------------	--------

BW-BHR4530	45	22	30	3.6 4.5 4.6 4.7 6.0 8.0	With Stand Without Stand
BW-BHR5330	53	30	30		
BW-BHR5530	55	22	30		
BW-BHR5545	55	22	45		
BW-BHR5545	55	30	45		
BW-BHR5545	55	39	45		
BW-BHR5545	55	53	45		
BW-BHR5545	55	55	45		
BW-BHR5560	55	43	60		
BW-BHR8060	80	55	60		
BW-BHR5972	59	53	72		
BW-BHR6077	60	53	99	Star Type	
BW-BHR3307	33	6	7		
BW-BHR3310	33	6	10		
BW-BHR4910	49	6	10		
BW-BHR4915	49	6	15		
BW-BHR4920	49	6	20		

Kindly Noted, when place order please inform the following:

- 1.Stone Effect☐Sandblasted Surface/Litchi Surface☐
- 2.Use Object (Marble, Granite Or Other Stone, Concrete And Other Stone)
- 3.Segment No.(30s, 45s, 60s, 72, 99s, Star, Steel Dense Tooth, Vacuum Brazing)
- 4.Diameter of the Bush hammer plate(125mm, 150mm, 200mm, 250mm, 300mm, 350mm, etc.)
- 5.Base Style(U Shape, Frankfurt, Fickert, Lavina, Husqvarna, HTC, Klindex, Werkmaster, Diamatic, Etc.)
- 6.Machines (Hand Held Grinders, Automatic Bush Hammering Machine, Automatic Grinding Machine, Angle Grinder, And Floor Grinders)

Application:

Rotating bush hammer roller for stone, concrete floor,asphalt pavement

For Terrco Floor Grinding Machine, Other Machine Can Be Customized.

We also provide the bush hammer plate of Lavina, HTC, Redl lock, Klindex, Scanmaskin, Fickert, which support customization.



Contact Us:

Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939