Introduction:

CNC granite diamond polishing
wheels are used for CNC machine,automatic processing the granite,

marble,other stones and the counter.Their merits are high efficiency of production,exact figur e.

Using sequence: from rough grit to fine, finally polishing.

The following are different shapes design , including : A, B, D, E, F, G, H, I, L, M, N, O, P, Q, S, T, U, V, WF, DD, DC

Features:

1.CNC granite diamond polishing wheels have different shapes and sizes are available.

2.Good balance and stable performance.

3.Sintered segment is aggressive for easy and quick stock removal.

Specifications:

The followings are the normal specifications of CNC granite diamond polishing wheel:

Product Name	Position	Grit	Diameter	Thickness	Stone Shape	Spindle
Diamond Segment Router Bit	Pos1	30/40#	50-125mm	20mm 30mm 40mm 50mm	A, B, D, E,F, G, H, I, L, M,N, O,P,Q,S,T,U, V,WF,DD,DC etc.	M8 M10 M14 1/2 "Gas 22mm 35mm
	Pos2	40/50#				
	Pos3	80/100#				
	Pos4	170/200#				
	Pos5	400#				
	Pos6	600#				
	Pos7	1000#				
	Pos8	Optional				

The above specifications are for reference, other specifications can be ordered by customers.

Picture:

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Smiliar product:

[V20 CNC router bit sets for counter]

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Contact Us:

Fujian Nanan boreway Machinery Co.,Ltd.

No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **Fax:** (+86)595-86990220

Mobile/WhatsApp/Wechat: (+ 86) 18650679939

E-mail: boreway@boreway.com

Lyon Chang