

## Introduction:

CNC granite diamond polishing wheels are used for CNC machine, automatic processing the granite,

marble, other stones and the counter. Their merits are high efficiency of production, exact figure.

Using sequence: from rough grit to fine, finally polishing.

The following are different shapes design, including: A, B, D, E, F, G, H, I, L, M, N, O, P, Q, S, T, U, V, WF, DD, DC

## Features:

1. CNC granite diamond polishing wheels have different shapes and sizes available.
2. Good balance and stable performance.
3. Sintered segment is aggressive for easy and quick stock removal.

## Specifications:

The followings are the normal specifications of CNC granite diamond polishing wheel:

Product Name	Position	Grit	Diameter	Thickness	Stone Shape	Spindle
Diamond Segment Router Bit	Pos1	30/40#	50-125mm	20mm	A, B, D, E, F, G, H, I, L, M, N, O, P, Q, S, T, U, V, WF, DD, DC etc.	M8 M10 M14 1/2 "Gas 22mm 35mm
	Pos2	40/50#		30mm		
	Pos3	80/100#		40mm		
	Pos4	170/200#		50mm		
	Pos5	400#				
	Pos6	600#				
	Pos7	1000#				
	Pos8	Optional				

The above specifications are for reference, other specifications can be ordered by customers.

## Picture:



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Smiliar product:**

[V20 CNC router bit sets for counter](#)


---




**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Contact Us:**

**Fujian Nanan boreway Machinery Co.,Ltd.**

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)

 **Lyon Chang**