

## Introduction:

1. Diamond stubbing wheels usually used for sink hole on the wash basin, bathtub, sink and other products;
2. Stubbing wheels also can use for calibrating the stone slab, these wheels have large segments for fast stock removal;
3. The diameter of the stubbing wheels is 50mm, segment height is 25mm, connection is 10mm, diamond segment type is continuous rim, the wheels usually used on CNC machines;
4. We offer a variety of different grits, types, and sizes of stubbing wheels, the stubbing wheels can process many kinds materials.

## Features:

1. With feature of high efficiency, accuracy in shape and size;
2. Stubbing wheels can process variety materials, wide applicability;
3. Other specifications can be customized after communication.

## Specification:

Diameter	Segment Height	Inner Hole	Connection	Grit	Machine
50	20			30/40#	CNC machine
86	25	10	Φ10-2 + 2Hole	60#	
90	30	50	Φ50-3 + 3Hole	100#	
100	40		Φ50-3 + 3Hole	120#	

Other connection and specification can be customized according to need.

## Images:

**boreway**®



**boreway**®





# boreway®



If you want know more images, please contact us.

## **Related products:**

[D100x40mmx50H CNC Milling Wheel Sintering Standard Stubbing Wheels For Stone](#)



## **Contact us:**

**Fujian Nanan Boreway Machinery Co.,Ltd.**

**Address: Huahui Center 605, Shuitou Town,Quanzhou, Fujian, China.**

**Post Code: 362342**

**Tel.: 0086-595-86990206**

**Fax: 0086-595-86990220**

**Sales: Ally Huang**

**Mobile/WhatsApp: 0086-13559599186**

**Wechat: boreway05**

**Skype: boreway05**

**Facebook:** 13559599186

**E-mail:** boreway05@boreway.net