# Introduction:

1. Lavina diamond floor grinding blocks are designed for used in lavina floor grinding machines to remove the expoxy,glue,paint and other uneven coating of concrete,terrazzo and stone floor, show a smooth and brand new floor. It is convenient for subsequent grinding and polishing treatment;

2. The diamond grinding blocks use the standard lavina, It has 2 arrow diamond segments. There have a variety of grits for your choice;

3. BOREWAY provide three kinds diamond segment bonds for different floors, soft, medium and hard.The grinding blocks we provide are belong to high quality, please do not confuse these blocks with other cheap blocks;

5. This grinding block is usually used on lavina floor grinding machines with flat-plug interface, can be quickly installed and dismantled, greatly improving the efficiency of work.

## **Features:**

1. We can provide soft, medium, hard bond designed specifically for various floors;

2. Flat-plug connection, easy and quick replacement;

3. Different size segments can be custom.

#### **Specification:** Segment Segment Srgment Model No Grit No. Bond Connection materials number type 6#, 16#, 25# 30#, 40#, 50#, 60# Soft Lavina 80#, BW-FP-MET-09 Diamond 2 Midium Flat-plug Arrow 100#, connection Hard 120# 150#, 170#, 200#

Other connection and specification can be customized according to need.

**Images:** 

Click here to visit our FLAT-PLUG DIAMOND GRINDING BLOCKS.









If you want know more details, please contact us. **Click here to visit our FLAT-PLUG DIAMOND GRINDING BLOCKS.** 

## **Related products:**

Diamond grinding pads with 1 declining diamond grinding heads for grinding stone and concrete floor

×

### **Contact us:**

Fujian Nanan Boreway Machinery Co.,Ltd. Address: Huahui Center 605, Shuitou Town,Quanzhou, Fujian, China. Post Code: 362342 Tel.: 0086-595-86990206 Fax: 0086-595-86990220 Sales: Ally Huang Mobile/WhatsApp: 0086-13559599186 Wechat: boreway05 Skype: boreway05 Facebook: 13559599186 E-mail: boreway05@boreway.net