

Introduction:

These diamond vacuum brazed tuck point blades are mainly used for making grooves on the surface of green concrete, masonry, joints of brick or block and other construction materials, and repairing grout, cleaning and routing cement mortar joints.

Features:

1. Universal wet cutting tuck point blades.
2. Higher diamond concentration than standard grade for fast cutting and long service life.
3. Fast and smooth cutting, high performance/price ratio.

Specifications:

The followings are the normal specifications of our diamond vacuum brazed tuck point blades:

| Product Name | Outer Diameter | | Thickness | Arbor | Segment Height | Segment Number | Applications |
|--|----------------|-----|-----------|---------|----------------|----------------|-------------------------|
| Diamond Vacuum Brazed Tuck Point Blade | inches | mm | mm | mm | mm | pcs | Green concrete |
| | 4" | 105 | 6.4 | 16/20 | 8mm | 8 | Joint of brick or block |
| | 4.5" | 115 | 6.4 | 22.23 | 8mm | 8 | |
| | 5" | 127 | 6.4 | 25.4/50 | 8mm | 10 | Masonry |
| | 6" | 152 | 6.4 | | 8mm | 12 | |
| | 7" | 178 | 6.4 | | 8mm | 14 | |
| | 8" | 203 | 6.4 | | 8mm | 16 | |
| | 9" | 229 | 6.4 | | 8mm | 18 | |

The above specifications are for reference, other specifications can be ordered by customers.

Grade: Premium, Standard.