

**Introduction:**

Sealed curing floor polishing machine 12T-700 is be used for floor grinding,coarse concrete floor burnishing,old epoxy floor renovation,sealed curing floor polishing,marble ground maintenance.

**Feature:**

- 1.Using the precise helical tooth synchronizing wheel,the machine is never noisy and the machine run much more smoothly;
- 2.With ultra low center of gravity,then machine is more stable and work strongly;
- 3.The innovation of design makes the machine much more coordinate with the man,you will feel relax after a long working time.

**Specification:**

The normal specification of Sealed curing floor polishing machine 12T-700:

**Parameter**

Model	Power output	voltage	Working width	Disc rotate speed	Disc quantity	Water Tank volume	weight
Unit	KW	V	MM	RMP	T	L	KG
12T-700	11	380	700	0~1800	12	80	290
12T-700	11	220	700	0~1800	12	80	300

The above are normal specification for reference.Other specification can be ordered by customers.

**Picture:**



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Similar product:**

**Coarse concrete floor burnishing machine 12T-580A, Muti-function floor grinding machine 12T-580A**

**boreway®**



**Boreway Machinery Co., Ltd.**  
**[www.diamondtools.top](http://www.diamondtools.top)**  
**[www.boreway.com](http://www.boreway.com)**