


5

Sharpness Hand-held saw machine Premium Quality Cost-friendly

Long life Wet or Dry Clean cutting Smooth cutting

5

Application:
Tile,bricks,brick blocks,
concrete,marble,granite,stone
and many other materials



5. 请提供以下信息：

1. 请提供以下信息：

□□□□

□□□□□□ 5. 请提供以下信息：

□□	□□	□□	□□	□□	□□	□□	□□	□□	□□
□□	□□	□□□□/□□□□	□□mm	□□□□□□	4	105	20 / 0.787 □□	1.8	2012□8□10□
4.3	110	20 / 0.787 □□	1.8	2012□8□10□					
4.5	115	22.23 / 0.875"	1.8	2012□8□10□					
5	125	22.23 / 0.875"	2.0	2012□8□10□					
6	150	22.23 / 0.875"	2.2	2012□8□10□					
7	180	22.23 / 0.875"	2.4	2012□8□10□					
8	200	22.23 / 0.875"	2.4	2012□8□10□					
9	230	22.23 / 0.875"	2.6	2012□8□10□					
10	250	22.23 / 0.875"	2.8	2012□8□10□					

□□□□□□□□□□□□□□□□□□

□□=□□□□=□□□□□□□□=□□□□□□= OEM

Support Sample Processing Customization

Style and Specifications



Contact Salesman

Due to the large number of product specifications and styles, in order to avoid conflicts, please contact the salesman before placing the order.

1

Provide Samples

The manufacturer supports the sample processing and customization, and the buyer provides the sample first to communicate the production requirements.



2

5. 請將下列圖片與材料名稱對號入座。



Granite



Marble



Concrete



Porcelain tile



Ceramic



Engineered stone

請將下列圖片與材料名稱對號入座。

請將下列圖片與材料名稱對號入座。

5. 請將下列圖片與材料名稱對號入座。



Angle Grinder Machine



Circular Saw Machine



Masonry Saw Machine



Table Saw Machine

請將下列圖片與材料名稱對號入座。




□□□□



300x800mm U型




型



40x40x40x40



● Cold Press Mschine



● Fill The Mold



● The Product Polishing





● Hot Press Machinery



● Remove The Mold



● The Product Polishing



● Packing







□□□□□□

PS□

1.□□□□□

2.□□□/□□□□□□□□□□□□□□/□□


3.□□45kg□□□□□□□□□□□

4.□□□□□□□□□□□□


XX

XXXXXX

Fujian Nanan *boreway*[®] Machinery Co.,Ltd.

 XXXXXXXXXXXXXXXXXXXX605X362342

 XXXX +86X595-86990206 /  XXXX +86X595-86990220

 XXX/ **WhatsApp** /XXXX + 86X 18650679939

 XXXXXX **boreway@boreway.com**

 XXXX