


Boreway 40 1200mm



40mm wide, 1200mm long, 5.5mm thick, 80mm wide, 24mm thick, 7.5mm thick, 10/13, 80/130, 950




1. 40mm wide, 1200mm long, 5.5mm thick, 80mm wide, 24mm thick, 7.5mm thick, 10/13, 80/130, 950

2. 40mm wide, 1200mm long, 5.5mm thick, 80mm wide, 24mm thick, 7.5mm thick, 10/13, 80/130, 950

3. 40mm wide, 1200mm long, 5.5mm thick, 80mm wide, 24mm thick, 7.5mm thick, 10/13, 80/130, 950

4. 40mm wide, 1200mm long, 5.5mm thick, 80mm wide, 24mm thick, 7.5mm thick, 10/13, 80/130, 950



40mm wide, 1200mm long, 5.5mm thick, 80mm wide, 24mm thick, 7.5mm thick, 10/13, 80/130, 950

48	1200	5.5	6.0	80	24	7.5	8.0	10/13	80/130	950
----	------	-----	-----	----	----	-----	-----	-------	--------	-----

40mm wide, 1200mm long, 5.5mm thick, 80mm wide, 24mm thick, 7.5mm thick, 10/13, 80/130, 950

Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble

Support Sample Processing Customization

Style and Specifications



Contact Salesman

Due to the large number of product specifications and styles, in order to avoid conflicts, please contact the salesman before placing the order.

1

Provide Samples

The manufacturer supports the sample processing and customization, and the buyer provides the sample first to communicate the production requirements.



2



Mail Samples

According to the buyer's demand for proofing, the manufacturer needs the buyer to pay the proofing fee first, and the sample fee will be returned after the order is concluded.

3

Generate Order

The buyer receives the sample. If satisfied, place an order for batch production. After confirming the receipt, contact the salesman to return the proofing cost.




4

□□□□□□□□□□□□ 280-320 rpm □□□□□□□□□□□□

□□□□□

40 □□□□□□□□





□□□□□□□□

□□□□

40□□□□□□ □□900□□□3500□□□□□□□□□□□□□□□□□□□



□□□□




□□□□

□□□□

40□□□□□□□□ □□□□□□□□



● Cold Press Mschine



● Fill The Mold




● The Product Polishing




● Remove The Mold



● Hot Press Machinery



● Packing







□□□□□□

PS□

1.□□□□□

2.□□□/□□□□□□□□□□□□□□/□□


3.□□45kg□□□□□□□□□□□

4.□□□□□□□□□□□□□□


XX

XXXXXX

Fujian Nanan *boreway*[®] Machinery Co.,Ltd.

 XXXXXXXXXXXXXXXXXXXX605X362342

 XXXX +86X595-86990206 /  XXXX +86X595-86990220

 XXX/ **WhatsApp** /XXXX + 86X 18650679939

 XXXXXX **boreway@boreway.com**

 XXXX