



boreway®



Boreway 150 精密滚花刀头

150 精密滚花刀头 滚花直径 125mm-200mm 滚花长度 700mm 滚花精度 ±0.01mm 滚花材料 YG10 滚花速度 10-100rpm 滚花时间 1-10min 滚花温度 20-80℃ 滚花环境 干燥、无油、无尘



150 精密滚花刀头

| | |
|------|------|
| 滚花直径 | 滚花长度 |
| 滚花精度 | 滚花材料 |
| 滚花速度 | 滚花时间 |
| 滚花温度 | 滚花环境 |
| 滚花直径 | 滚花长度 |
| 滚花精度 | 滚花材料 |
| 滚花速度 | 滚花时间 |
| 滚花温度 | 滚花环境 |
| 滚花直径 | 滚花长度 |
| 滚花精度 | 滚花材料 |
| 滚花速度 | 滚花时间 |
| 滚花温度 | 滚花环境 |

150 精密滚花刀头
滚花直径 125mm-200mm
滚花长度 700mm
滚花精度 ±0.01mm
滚花材料 YG10
滚花速度 10-100rpm
滚花时间 1-10min
滚花温度 20-80℃
滚花环境 干燥、无油、无尘

□□□

□□□□**150**□□□□□□

1□ P□□□□□□□□

2□ □□□□

3.□□□□□□□□□□

4□ □□□□□□□□

5□ □□□□□□□□□□

6□ □□□□□□□□□□□□

7 w ^□□□□□□□□□□□□□□5-8□

□□□□□

□□□□**150**□□□□□□

boreway[®]



3T x 45S

D150MM

boreway®



□□□

□□□□□□□□

□□□□150□□□□□ □□□□□□□□□□□□□□□□□□□



□□□□



Boreway Machinery Co.,Ltd
www.fordiamondtools.com
www.diamondtools.top

D150MMx4Tx45S □□ □□ □□



Boreway Machinery Co.,Ltd
www.fordiamondtools.com
www.diamondtools.top

45S □□□□

□□□□□



□□□□□

1. 1. 2. 3. 4. 5.

□□□

1. 1. 2. 3. 4. 5. 8

1. 2. 3. 4. 5.

3. 1. 2. 3. 4.

□□□□

1. 2. 3.

□□□□

Fujian Nanan **boreway** Machinery Co.,Ltd.

 605 362342

 +86 595-86990206 /  +86 595-86990220

 / **WhatsApp** / + 86 18650679939

 **boreway@boreway.com**

