

□□:

- 1.D86x30Tx50H□□□□□□□□□□CNC□□□□□□□□□□□□
- 2.□□□□□□□□□□□□□□□□□□
- 3.□□□□□□□□□□□□

□□:

- 1.□□□□□□□□□□□□□□□□□□
- 2.□□□□□□□□□□
- 3.□□□□□□

□□:

□□□□□□□□:

□□/mm	□□□□/mm	□□/mm	□□	□□	□□
50 86 100 90	20 30 40	10 50	Φ10-2+2Hole Φ50-3+3Hole Φ50-3+3Hole	30/40# 60# 100# 200#	CNC□□□□□□□□□□ □

□□□□□□□□□□□□□□□□□□□□:


RPM	□□□□	□□□□
4500	400-600mm/□	3mm

□□□□□□□□□□

Images:


□□□□□□□□□□□□□□

boreway®




Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



NAME: Standard Stubbing Wheel
SIZE: D86×30T×50H
QUANTITY: 1 PC
REMARK:



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

□□□□:

□□□□□□□□□□

□□:□□□□□□□□□□□□□□605

□□:362342

□□:(+86)595-86990206

□□:(+86)595-86990220

Skype:boreway02

Whatsapp:(+86)18359335376

□□:Sherry_154

□□:boreway02@boreway.net