



|    |     |    |     |        |    |
|----|-----|----|-----|--------|----|
| 12 | 300 | 40 | 3   | 8 \ 10 | 22 |
| 14 | 350 | 40 | 3.2 | 8 \ 10 | 24 |
| 16 | 400 | 40 | 3.6 | 8 \ 10 | 29 |
| 18 | 450 | 40 | 4   | 8 \ 10 | 32 |
| 20 | 500 | 40 | 4.2 | 8 \ 10 | 36 |
| 24 | 600 | 40 | 4.6 | 8 \ 10 | 42 |
| 28 | 700 | 40 | 5.6 | 8 \ 10 | 42 |
| 32 | 800 | 40 | 5.6 | 8 \ 10 | 46 |

□□ 14□□□□□□□□ □□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□

**3**□□□□□□□□□□□□


□□□□□□□□□□□□

□□□□□□□□□□□□


□□□□□□□□□□□□

□□□□□

**14**□□□□□□□□□□□□□□□□□□□□



Strict control of cutting precision



□□□□□


□□□□□□□□ □□□□□□□□□□□□□□□□

## Applicable materials

To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.



# Applicable machines



□□□□



#### 4. 0000000000000000

0000

14 0000000000 00000000 00000000  
0000000000


000000

00000000000000



000000

0000



□□

Less than 45kg, generally delivery by express(Door to Door).



By Air or by Sea for batch goods, Airport/ Port receiving

By air



By sea



□□□□□□

1. □□□□□□□□□□□□□□□□
2. □□□□□□□□□□□□□□□□
3. OEM □□□□□□□□□□□□□□□□
4. □□□□□□□□□□□□□□□□□□□□
5. □□□□□□□□□□□□□□□□□□□□

□□□□□

1. □□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□  
□□8□□□□□□□□□□□□



