

1000-3500 mm



1000-3500 mm

1000-3500 mm

1000-3500 mm

1000-3500 mm
1000-3500 mm

1000-3500 mm					
40	1000	24	7.4 / 6.8	15	70


[illegible]

Applicable materials



To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.







□□□□



□□□

1.□□□□□□□□

2.□□□□□□□□□□

3.□□□□□□□□□□□□


□□□□□



Granite Block Cutting Segment



Granite Edge Cutting Segment



Marble Block Cutting Segment



Marble Edge Cutting Segment

□□□□

□□□□□□□□□□



□□□□□

□□

□□□□□□



000

Less than 45kg, generally delivery by express(Door to Door).



By Air or by Sea for batch goods, Airport/ Port receiving

By air



By sea



□ □ □ □ □ □

1.
2.
3. OEM
4.
5.

1.
2.

1. 轉速RPM
2. 轉速範圍
3. 轉速精度

3. 轉速精度

轉速精度是指轉速測量值與真實值之間的偏差。

轉速

轉速精度是指轉速測量值與真實值之間的偏差。

轉速

Fujian Nanan **boreway**® Machinery Co.,Ltd.



地址：福建省南安市6051362342



電話：+86595-86990206 / 微信：+86595-86990220



WhatsApp / 電話：+8613559599186



電子郵件：boreway06@boreway.net



姓名