






Machine




Effect













□□□

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□



Boreway Machinery Co., Ltd  
www.fordiamondtools.com  
www.diamondtools.top

100000



Boreway Machinery Co., Ltd  
www.fordiamondtools.com  
www.diamondtools.top

300000



Boreway Machinery Co., Ltd  
www.fordiamondtools.com  
www.diamondtools.top

200000



Boreway Machinery Co., Ltd  
www.fordiamondtools.com  
www.diamondtools.top

200000



Boreway Machinery Co., Ltd  
www.fordiamondtools.com  
www.diamondtools.top

300000



- 1. 000000000000000000000000
- 2. OEM 000000000000000000000000
- 3. 0000000000000000000000000000
- 4. 0000000000000000000000000000

5. 請將下列各段文字翻譯成中文

□□□

1. 請將下列各段文字翻譯成中文

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□8□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

3. 請將下列各段文字翻譯成中文

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□

1. 請將下列各段文字翻譯成中文

2. 請將下列各段文字翻譯成中文

3. 請將下列各段文字翻譯成中文

□□□□□

**Fujian Nanan Boreway Machinery Co.,Ltd.**

地址 福建省南安市605

電話 362342

**TEL** +86 595-86990206 / + 86 13559599186

傳真 86 595-86990220

網址 [boreway05@boreway.net](mailto:boreway05@boreway.net)