



PCD Lavina PCD

Lavina PCD

Lavina PCD üsed VCT

Lavina PCD

	Lavina PCD
	16-270etc
	1/4 PCD * 2T
	PCD
	PCD Lavina
	Lavina
	Lavina

00000000000000000000
 00000000000000

00000


Lavina 00PCD00000











Application





Before Grinding and Polishing



After Grinding and Polishing

--

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500–9000	5000–7000	4000–5000	3000–4000	1500–3500	1000–2000
MPA	C50–C65	C40–C55	C30–C50	C20–C40	C15–C25	C10–C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

Lavina

 Lavina Lavina

 Lavina

 2 3 M6 / M8 Lavina



1□□□□□□□□□□□□□□□□□□

2□□□□□□□□□□□□□□□□

3□□□□□□□□□□□□□□□□□□□□

4 Lavina PCD

Lavina PCD

Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

Lavina PCD

Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

Lavina ☐ PCD ☐ ☐ ☐ ☐ ☐

□ □ □ □ □



□□□□□□

1. □□□□□□□□□□□□□□□□
2. □□□□□□□□□□□□□□□□
3. OEM□□□□□□□□□□□□□□□□
4. □□□□□□□□□□□□□□□□□□□□
5. □□□□□□□□□□□□□□□□□□□□

□□□

1. □□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□
 □□□□□□8□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

3.□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□□

1.□□□□□□□□□□

2.□□□□□□□□□□

3.□□□□□□□□□□□□

□□□□□

Fujian Nanan **boreway**® Machinery Co.,Ltd.



□□□□□□□□□□□□□□□□605□362342



□□□□ □+86□595-86990206 /  □□□□ □+86□595-86990220



□□□/ **WhatsApp** /□□□□ □+ 86□ 13559599186



□□□□□□ boreway05@boreway.net



□□□□