

| | | | | |
|-----|----|-----------|------------|----|
| 600 | 40 | 4.6 / 4.8 | 8/10/12/15 | 42 |
| 700 | 40 | 5.5 / 5.2 | 8/10/12/15 | 42 |
| 800 | 40 | 6.0 | 8/10/12/15 | 46 |

W 结构 减少切削阻力，提高切削速度

W 结构

Boreway W 结构



W Shape Structure, reduce the cutting resistance, improve the cutting speed.

W 结构


Boreway W 结构 减少切削阻力，提高切削速度

Applicable materials


To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.



**Confidential
Formula**



□□□□



□□□

1. □□□□□□□□

2. □□□□□□□□

3. □□□□□□□□□□

□□□□

-



Granite Block Cutting Segment



Granite Edge Cutting Segment



Marble Block Cutting Segment



Marble Edge Cutting Segment





□□□□□

2. 地址

3. 邮编

3. 电话

手机号码

地址


地址

地址

Fujian Nanan *boreway* Machinery Co.,Ltd.

 地址 6051362342

 电话 +861595-86990206 /  电话 +861595-86990220

 / **WhatsApp** / 电话 + 86 13559599186

 邮箱 boreway06@boreway.net

 姓名