




カッサーニ株式会社 **Cassani** 株式会社


Sizes: 24*11*10mm*5T



**Diamond+Metal Powder+Metal Blank
<Cassani Grinding Shoes>**



カッサーニ株式会社



□□□

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

1□□□□□□□□

2□□□□□□□□□□

3□□□□□□□□

4□□□□□□□□

□□□□□




Boreway Machinery Co., Ltd
www.diamondtools.top
www.boreway.net

2 M□□□□□



Boreway Machinery Co., Ltd
www.diamondtools.top
www.boreway.net

2□□□□□□□



Boreway Machinery Co., Ltd
www.diamondtools.top
www.boreway.net

3□□□□□□□

□□□□□



□□□□□□

1. □□□□□□□□□□□□□□□□□□□□
2. □□□□□□□□□□□□□□□□□□□□
3. OEM □□□□□□□□□□□□□□□□□□□□
4. □□□□□□□□□□□□□□□□□□□□□□□□
5. □□□□□□□□□□□□□□□□□□□□□□□□

□□□

1. □□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□
 □□□□□□8□□□□□□□□□□□□□□□□□□□

