[illegible]Redi[illegible]

[illegible]

[illegible] ž [illegible]

1[illegible]

2[illegible]


Redi-Lock
Z Shape Segment
30#
Grit No.:6#,16/18#,20/25#,30/40#,
50/60#,70/80#,80/100#,120/150#,
200/220#, 325/400#

[illegible]

[illegible]

[illegible]-[illegible]

[illegible]–[illegible]

[illegible]–[illegible]


Super hard
Hard
Medium
Soft
super soft
Extra Hard Concrete (Mpa)
50 45 40 35 30 25 20 15 10
Extra Soft Concrete (MPa)
Extra soft bond
Super soft bond
soft bond
Medium-hand bond
Hard bond
Super hard bond
Extra hard bond
product marking : ESB SSB SB MB HB SHB EHB
Product color :

□□□□ ž □□ □□ □□

□□□□ ž □□ □□ □□□ □□ □□□

□□□

□□□□□□□□ ž □□ □□ □□□

□□□	□□□□□□□□□□□□□□Husqvarna□□□Z□□□□		
□□□	Z□□	□□	12□□
□□□	□□□□	□	Boreway
□□□	BW-HU-ZZS-01	□	Husqvarna□□□
□□	□□□□□□□□□	□□□□□	□□+ □□□□□□

Ø□□□□□□□□□□□□□

□□□

□□□12□□

□□□□□□□

□□Husqvarna□□□

□□□6□□16□□20/25□□30/40□□50/60□□70/80□□80/100□□120/150□□200/220□□325/400□

□□□□□□□ ž □□ □□ □□□H□□

Featurwe□□□□□ ž □□ □□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□ ž □□ □□ □□□□□□Husqvarna□□□□

□□□□ ž □□ □□ □□□□□Husqvarna□□□□□□□□□□
□Husqvarna□Werkmaster□Lavina□Sti□Htc□Blastrac□Scanmaskin□Klindex□Edco Grinders□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□ ž □□ □□ □□ □□□□□□□□□□□□□□□□□□□□

□□□□□

□□□□□□

PS□

1.□□□□□

2.□□□/□□□□□□□□□□□□□/□□

3.□□45kg□□□□□□□□□□□

4□□□□□□□□□□□□