
1.00000000									
20 000000000000000000000000000000000000									
3.00000000000									
4.0000000000000									
5. HTCDDDDDDDDDDDD									
HTCDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD									
230mm45									
230mm.	45[][]	3[]	H ⁻	TC[[[[
	mm OO	0000							
		<u> </u>							

BW-BH12514	5.	125.	3.	14.		
BW-BH12514			4.	14.		
BW-BH12520			3.	20.		
BW-BH12520			4.	20.		
BW-BH12530	5.	125.	3.	30.		
BW-BH15014	6.	150.	4.	14.		
BW-BH12520	6.	150.	4.	20.	M10	
BW-BH15045	6.	. 150.	3.	45.	M12 M16 5/8"-11 40H-50H. φ74-3* m8	
BW-BH15030			4.	30.		
BW-BH20045	8.	200.	4.	45.		
BW-BH20030			6.	30.		
BW-BH25045.	10.	250.	5.	45.		
BW-BH25030			6.	30.		
BW-BH30045	12.	300	6.	45.		
BW-BH30030			9.	30.		
BW-BH35045	14.	350.	9.	45.		
BW-BH35030			12.	30.		

0000

230mm HTC

Each Roller is 45 Teeth Connecting Hole 230mm Connecting Hole



High Grade

High grade diamond particle raw materials are used


Multiple Options

There are options for imported bearings and ordinary bearings



Customizable

It can be customized according to requirements






1.00000000

2._____



Fujian Nanan homeway Machinery Co.,Ltd.



- <mark>⊠</mark>____ boreway@boreway.com.
- Lyon Chang