



2500 psi

2500 psi


Lavina

|            |   |
|------------|---|
|            | 2T.   |
|            | 10mm.   |
|            | /   |
|            |   |
|            | Lavina  |
|            |   |
|            |   |
| grit no .: | 6 16 20/25 30/40 50/60 70/80 80/100 120/150 200/220 325/400 |
|            |   |

Lavina

# Shoe Shape

Segment Height: 10mm



Quick Lock Connection

2T








Grinding Machine



Concrete Grinding Effect



PS

1.

2.

3. 45

4.



- For sample or small orders, products could be sent by express, TNT, DHL, UPS, FedEx, EMS etc.
- For large orders, shipping by sea or air is recommended. By our long-term cooperate agent or your appointed forward.
- By sea, port of loading: Shanghai, Ningbo, Xiamen, Qingdao etc.



DHL UPS FedEx TNT EMS

FOB CNF CIF

1. Low MoQ

2. EEM

3.

4.

5.

1.

8

2.

3.

Ownlogo

00000

# Fujian Nanan *boreway* Machinery Co.,Ltd.

 Shuatou Town 362342 Quanzhou, Fujian, China 3605

 +86 595-86990206 /  +86 595-86990220

 / **WhatsApp** / + 86 18650679939.

 **boreway@boreway.com.**