□□□

□□□□1600mm K□□□□□□□□□□□□□

□□□□□□ □□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□

□□□ □□□□□□□□□□□ □□□

□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□
□□□□□□□□□□ □□□□□□□

1000-3500 mm□□□□□□					
□□		□□□□			□□
□□	□□	□□	□□	□□	□
40	1000	24	7.4 / 6.8	15	70
44	1100	24	7.4 / 6.8	15	74
48	1200	24	7.5 / 7.0	15/20	80

52	1300	24	8.0 / 7.4	15/20	88
56	1400	24	9.0 / 8.4	15/20	96
64	1600	24	9.0 / 8.4	15/20	108
72	1800	24	10 / 9.0	15/20	120
80	2000	24	10.6 / 9.8	15/20	128
88	2200	24	11.5 / 10.5	15/20	136
100	2500	24	11.8 / 10.8	15/20	140
120	3000	24	13.0 / 12	15/20	160
140	3500	24	13.5 / 12.5	15/20/30	180

□□1600mm K□□□□□□ □□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□

□□□□1600mm K□□□□□□□□□□□□□□



□□□□□

□□□□1600mm K□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□

Applicable materials
To meet your demands for cutting different materials,such as granite,marble,quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc.Different segments recipe were been developed by our company.
Confidential Formula

boreway® Diamond segments

Single
Blade

□□□□□



□□□

1.□□□□□□□□□□□□□□□□□□□□□□□□□□□□

2.□□□□□□□□□□□□□□□□□□□□□□□□□□

3.□□□□□□□□□□□□□□□□□□□□□

□□□□□

Fan Shape Edge Segment

Normal Shape Edge Segment

W Shape Edge Segment


K Shape Block Segment

V Shape Block Segment

M Shape Block Segment

Slant Slot Edge Segment

Turbo Shape Edge Segment

U Slot Edge Segment

□□□□□

□□□□□□□□□□□□□□

EDAX
D8

□□□□□□

[illegible]

1.[illegible]
2.[illegible]
3.OEM[illegible]
4.[illegible]
5.[illegible]

[illegible]

1.[illegible]
[illegible]

2.[illegible]
[illegible]

1.□□□RPM□□□□□□□
2.□□□□□□□□□□□□□□□□□□□□
3.□□□□□□□□□□□□□

3.□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□

□□□

□□□□□

Fujian Nanan boreway Machinery Co.,Ltd.
□□□□□□□□□□□□□605□362342
□□□ □+86□595-86990206 / □□□ □+86□595-86990220
□□/ **WhatsApp** /□□□ □+ 86□ 13559599186
□□□□□ boreway06@boreway.net
□□□