

1pcs 1000 1000 10000 1000 1000 100000000 10000 10000 100000000 100000000 1000 100000000 100 10000  
100000 10000


1000000000:

10000000000 100000000 10000000000 1000 **1 pcs** 10000 10000 100000 1000 1000000000 1000000000 1000000000:









□□□□:

**1pcs** □□□□ □□□□ □□□□ □□ □□ □□□□□□ □□□□ □□□□ □□□□, □□□□□□ □□□□□□, □□□□□ □□□□□□, □□□□ □□□□□□□□, □□□□□□□□□□, □□□□□□□□□□ □□ □□ □□□□ □□ □□□□ □□□□ □□□□

□□□□ □□□□□□:	8 □□□□
□□□□:	22.23mm
□□□□ □□□□□□:	2.8 □□□□
□□□□□□ □□□□□□:	5 □□□
□□□□□□ □□□□□□:	125□□□□
□□□□□□ □□□□□□:	□□□□ □□□□□□
□□□□□□:	□□□□ □□ □□□□□□ □□ □□□
□□□□□□□□□□:	□□□□ □□□□ □□□□, □□□□□□ □□□□ □□ □□□□□□ □□□□□
□□□□□□:	□□□□□□, □□□□□□□□□□, □□□□□□□□□□, □□□□□□□□□□, □□□□









How to cut a hole in a granite countertop:

1. Before cutting the hole in the granite, you should first measure the hole's size and position. Then, mark the hole's location on the granite with a pencil or chalk. Next, use a hand-held circular saw to cut the hole. The saw blade should be positioned over the hole's perimeter. The saw should be held at a 90-degree angle to the granite. The saw should be moved in a circular motion, following the hole's perimeter. The saw should be moved slowly and steadily, allowing the blade to cut through the granite. The hole should be cut to the desired depth. Finally, use a diamond-tipped hole saw to finish the hole. The hole saw should be inserted into the hole and turned. The hole saw should be moved up and down, allowing the diamond tip to cut through the granite. The hole should be cut to the desired depth.
2. After cutting the hole, you should clean up the hole. Use a vacuum to remove any dust or debris. Then, use a cloth to wipe the hole's edges. Finally, use a diamond-tipped hole saw to finish the hole.







□□□□□□: □□□□□□□□:

□□□□□□:

1. □□□□□□ □□ □□□□□□ □□□□□□ □□□□□□ □□□□□□
2. □□□□ □□□ / □□□□ □□ □□□ □□□ □□□□, □□□□ □□□□□□ / □□□□□□ □□□□□□ □□
3. □□ □□ □□ 45 kg, □□ □□□□ □□ □□□□□□ □□□□□□□□□□□□□□□□ (□□□□□□□□ □□□□ □□ □□□□ kg)
4. □□ □□□□□□ □□□□□□ □□□□□□ □□□□ □□□□, □□ □□ □□□□□□ □□ □□□□□□ □□□□□□□□ □□□□ □□□□



本公司之產品均係採用優質材料，經嚴格品質管理，確保產品之品質與耐用性。如有任何問題，請隨時與我們聯繫，我們將竭誠為您服務。

### 3. 如何選擇適合您的產品？

首先，請根據您的具體需求，如產品用途、工作環境、預算等，選擇合適的型號。其次，請仔細閱讀產品說明書，了解產品的性能、特點及操作要領。最後，請選擇信譽良好的供應商，確保產品的品質與售後服務。

歡迎垂詢，我們將竭誠為您服務。

如有任何問題，請隨時與我們聯繫，我們將竭誠為您服務。歡迎垂詢，我們將竭誠為您服務。

歡迎垂詢，我們將竭誠為您服務。

**Fujian Nanan *boreway* Machinery Co.,Ltd.**



No.605 Huahui 路, Shuitou 鎮 362342 Quanzhou, 福建省, 中國

&