

□□□□:

[illegible][illegible][illegible]

1. 0000000000 000000 00000 0000000000 0000 00 00000 00;
2. 0000000000 000000 0000000 0000000000 00 0000000000 00;
3. 00000 0000000 00 00000000, 00 000000 0000;
4. 000000000 00 00000 00000, 0000000 000000000, 00000 00000 00000;
5. 000000000 00000 0000 000000000 000000000000 000000 00 0000 000000000 0000 00000000 0000 00000 00 00000 00 00000 000000000000, 000000000000 00 00000000 00000 00000000

000000 00 000000 00 00000 000000 000 0000000000 00 000000 00 00000000 00000 000 0000  
000000000000 00 00000000 00000 00000000000000 00 0000000000 00000 00 000000 0000



|                                             |                   |                                        |
|---------------------------------------------|-------------------|----------------------------------------|
| □□□□ □□□□□□: □□□□□□□□□□-□□□□ 350            |                   |                                        |
| □□□□□□□ □□□□                                | □□.□□.            | Ø400 - Ø3500 (□□□□□□□ □□□□□□<br>Ø1800) |
| □□□□□□□                                     | □□.□□.            | ≤ 0.03 ±                               |
| □□□□□□□                                     | □□.□□.            | ≤ 0.03 ±                               |
| □□□□□□□□ □□ (□□□□□□□□ □□□□□□ /<br>□□□□□□□□) | □□□□□□□ /<br>□□□□ | 6 - 12                                 |
| □□□□ □□ □□□□                                | MPA               | 0.3 - 0.6                              |
| □□□□ □□ □□□□                                | MPA               | ≥0.2                                   |
| □□□□□□□□                                    | □□                | 220 (□□□□ □□□), 50 □□□□□□□             |
| □□□□□□                                      | □□□□□□□□          | 550                                    |
| □□□□ □□ □□□                                 | M³ / □□           | 1.5 - 2.0                              |
| □□□□ □□□□                                   | □□.□□.            | □□ 9 00 * W700 * □□ 2400 (□□□□□)       |
| □□□□ □□□                                    | □□□□□□□□□□        | 330                                    |
| □□□□□□ □□□□□□□□□□                           | □□.□□.            | □□ 2530 * W960 * □□ 780 (□□□□□□□□)     |
| □□□□□□ □□□ (□□□□□□ □□□□□□)                  | □□□□□□□□□□        | 380                                    |

[illegible]

Pls 尺寸 范围: 250-900 (max.1400mm) 尺寸 范围 尺寸 范围 尺寸 范围 尺寸 范围

**Pls**      : **250-1300 (max.2300mm)**

[illegible][illegible]**boreway®**


**boneway®**



□□□□□□□□□□ □□□□ □□□□ □□ □□etail :



**boreway®**

**boreway®**



**boreway®**

**boreway®**



□□□□ □□□□ □□□□ □□□□□□: □□□□ □□□□ □□ □□□□□



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)



Our products are available in various quantities and specifications. We can provide a detailed quotation and technical drawing for your reference. We also offer a wide range of accessories and spare parts for our machinery. Our products are widely used in various industries and have a good reputation in the market.

## -DELIVERY-

Less than 45kg, generally delivery by express (Door to Door).



By Air / Sea for batch goods, Airport / Port receiving.

BY AIR



BY SEA

