


תכונות:

התכונות הבאות מתאימות לפרק **12** של טבלת התכונות המצוינת בתחתית הדף:



התכונות הבאות מתאימות לפרק **8/10** של טבלת התכונות המצוינת בתחתית הדף, אם התכונות הבאות מתאימות לפרק **8/10** של טבלת התכונות המצוינת בתחתית הדף;

התכונות הבאות מתאימות לפרק **3000** של טבלת התכונות המצוינת בתחתית הדף;

התכונות הבאות מתאימות לפרק **3000** של טבלת התכונות המצוינת בתחתית הדף!

תכונות:

התכונות הבאות מתאימות לפרק **3000** של טבלת התכונות המצוינת בתחתית הדף, אם התכונות הבאות מתאימות לפרק **3000** של טבלת התכונות המצוינת בתחתית הדף;

| 250-800 מ"מ | | | | | |
|-------------|-----|-----|-----|--------|-----|
| מ"מ | | מ"מ | | | מ"מ |
| מ"מ | מ"מ | מ"מ | מ"מ | מ"מ | מ"מ |
| 10 | 250 | 40 | 3 | 8 \ 10 | 18 |
| 12 | 300 | 40 | 3 | 8 \ 10 | 22 |
| 14 | 350 | 40 | 3.2 | 8 \ 10 | 24 |
| 16 | 400 | 40 | 3.6 | 8 \ 10 | 29 |

| | | | | | |
|----|-----|----|-----|--------|----|
| 18 | 450 | 40 | 4 | 8 \ 10 | 32 |
| 20 | 500 | 40 | 4.2 | 8 \ 10 | 36 |
| 24 | 600 | 40 | 4.6 | 8 \ 10 | 42 |
| 28 | 700 | 40 | 5.6 | 8 \ 10 | 42 |
| 32 | 800 | 40 | 5.6 | 8 \ 10 | 46 |

1. 18mm diameter, 450mm length, 40mm thickness, 4mm diameter hole, 8 \ 10mm hole spacing, 32mm hole diameter
 2. 20mm diameter, 500mm length, 40mm thickness, 4.2mm diameter hole, 8 \ 10mm hole spacing, 36mm hole diameter
 3. 24mm diameter, 600mm length, 40mm thickness, 4.6mm diameter hole, 8 \ 10mm hole spacing, 42mm hole diameter
 4. 28mm diameter, 700mm length, 40mm thickness, 5.6mm diameter hole, 8 \ 10mm hole spacing, 42mm hole diameter
 5. 32mm diameter, 800mm length, 40mm thickness, 5.6mm diameter hole, 8 \ 10mm hole spacing, 46mm hole diameter

1. 18mm diameter, 450mm length, 40mm thickness, 4mm diameter hole, 8 \ 10mm hole spacing, 32mm hole diameter **3** 18mm diameter, 450mm length, 40mm thickness, 4mm diameter hole, 8 \ 10mm hole spacing, 32mm hole diameter


2. 20mm diameter, 500mm length, 40mm thickness, 4.2mm diameter hole, 8 \ 10mm hole spacing, 36mm hole diameter

3. 24mm diameter, 600mm length, 40mm thickness, 4.6mm diameter hole, 8 \ 10mm hole spacing, 42mm hole diameter

4. 28mm diameter, 700mm length, 40mm thickness, 5.6mm diameter hole, 8 \ 10mm hole spacing, 42mm hole diameter

18mm diameter, 450mm length, 40mm thickness, 4mm diameter hole, 8 \ 10mm hole spacing, 32mm hole diameter:

1. 18mm diameter, 450mm length, 40mm thickness, 4mm diameter hole, 8 \ 10mm hole spacing, 32mm hole diameter **12** 18mm diameter, 450mm length, 40mm thickness, 4mm diameter hole, 8 \ 10mm hole spacing, 32mm hole diameter



18mm diameter, 450mm length, 40mm thickness, 4mm diameter hole, 8 \ 10mm hole spacing, 32mm hole diameter:


1. 18mm diameter, 450mm length, 40mm thickness, 4mm diameter hole, 8 \ 10mm hole spacing, 32mm hole diameter
 2. 20mm diameter, 500mm length, 40mm thickness, 4.2mm diameter hole, 8 \ 10mm hole spacing, 36mm hole diameter
 3. 24mm diameter, 600mm length, 40mm thickness, 4.6mm diameter hole, 8 \ 10mm hole spacing, 42mm hole diameter
 4. 28mm diameter, 700mm length, 40mm thickness, 5.6mm diameter hole, 8 \ 10mm hole spacing, 42mm hole diameter
 5. 32mm diameter, 800mm length, 40mm thickness, 5.6mm diameter hole, 8 \ 10mm hole spacing, 46mm hole diameter

Applicable materials

To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.



Applicable machines



□□□□ □□□□□:



□□□: □□□□□ □□□□□, □□□ □□□□ □□ □□□□□, □□□□□□□□ □□□□□□ □□ □□□□□□ □□□□□□ □□□□□ □□□□□

□□□□:

□□□□□ □□□□□ □□□□□□□□ □□ □□□ 1.Ideal □□□□ □□□□□□□□ □□□□□□□□□□

2. □□□□□□□□ □□□□□□ □□□□□ □□□□□□□□□□

3. □□□□ □□□□□ □□□□□□□□, □□ □□□□, □□ □□ □□□□ □□□□ □□□□

4. 請說明 鋼 鋼管 鋼 鋼 鋼管 鋼 鋼-鋼 鋼管 鋼管 鋼管

鋼管 鋼管 鋼管:



Boreway Machinery Co., Ltd
www.fordiamondtools.com
www.diamondtools.top

16 鋼管 鋼管 鋼管 鋼管 鋼管



Boreway Machinery Co., Ltd
www.fordiamondtools.com
www.diamondtools.top

14 鋼管 鋼管 鋼管 鋼管 鋼管


鋼管 鋼管 鋼管:

鋼 鋼 鋼管 鋼管 鋼管 鋼管 鋼管 **control**



□□□□□□ □□ □□□□□□:

□□□□□□:



□□□□□□:

Less than 45kg, generally delivery by express(Door to Door).



By Air or by Sea for batch goods, Airport/ Port receiving

By air



By sea



By Air:

1. 貨物重量限制: 貨物重量限制在45kg以下, 且長、寬、高均不得超過100cm, 且不得超過10kg/m³。
2. 貨物種類限制: 貨物種類不得為危險品、易腐品、液體、粉體、電池、磁帶、磁盤、磁碟、磁片、磁卡、磁帶、磁盤、磁碟、磁片、磁卡、磁帶、磁盤、磁碟、磁片、磁卡。
3. OEM 貨物限制: 貨物不得為 OEM 貨物, 且不得為 OEM 貨物。
4. 貨物包裝限制: 貨物包裝不得為散裝, 且不得為散裝。
5. 貨物標籤限制: 貨物標籤不得為中文, 且不得為中文。

By Sea:

1. 貨物重量限制: 貨物重量限制在45kg以下, 且長、寬、高均不得超過100cm, 且不得超過10kg/m³。貨物種類限制: 貨物種類不得為危險品、易腐品、液體、粉體、電池、磁帶、磁盤、磁碟、磁片、磁卡、磁帶、磁盤、磁碟、磁片、磁卡。

..... 8

2. ?

...: ,
.....
.....,
.....
.....
.....

3. ?

.....,
.....
.....
.....
.....
.....


.....:



.....:

-
- (.....)
- (.....)
- (.....)
-
- (.....)
- (..... x x ..,)
- (.....,)
- (.....)
- / (.....)
-
- (.....)

.....:

Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui, Shuitou 362342 Quanzhou,

: (+86) 595-86990206 / : (+86) 595-86990220

 / **WhatsApp** /: (+ +) 13559599186

 信箱: boreway06@boreway.net

 姓名: 信箱