


HTC Type Connection Type:

Material:	HTC Type Connection Type
Segment Size:	16 #, 24 #, 36 #, 46 #, 50 #, 80 #, 100 #, 120 #, 180 #, 200 #, 270 #
Segment Shape:	8 # * 2T (Double Arrow Segments)
Segment Shape:	3 #
Material:	HTC Type Connection Type
Material:	HTC Type Connection Type
Material:	HTC EZ Type Connection Type
Material:	HTC Type Connection Type
Material:	HTC Type Connection Type

HTC Type Connection Type is a type of connection type used in the manufacturing of double arrow segments. It is characterized by its unique shape and size, which allows for a secure and reliable connection between segments. The HTC Type Connection Type is available in various sizes and materials, making it a versatile option for a wide range of applications. The HTC Type Connection Type is a type of connection type used in the manufacturing of double arrow segments. It is characterized by its unique shape and size, which allows for a secure and reliable connection between segments. The HTC Type Connection Type is available in various sizes and materials, making it a versatile option for a wide range of applications.


HTC Type Connection Type:

HTC Type Connection Type is a type of connection type used in the manufacturing of double arrow segments. It is characterized by its unique shape and size, which allows for a secure and reliable connection between segments. The HTC Type Connection Type is available in various sizes and materials, making it a versatile option for a wide range of applications.



HTC Type Connection Type is a type of connection type used in the manufacturing of double arrow segments. It is characterized by its unique shape and size, which allows for a secure and reliable connection between segments. The HTC Type Connection Type is available in various sizes and materials, making it a versatile option for a wide range of applications.

HTC Type Connection Type is a type of connection type used in the manufacturing of double arrow segments. It is characterized by its unique shape and size, which allows for a secure and reliable connection between segments. The HTC Type Connection Type is available in various sizes and materials, making it a versatile option for a wide range of applications.



Concrete Grinding Effect

優點:

- 1) 磨平 磨光 磨細 磨粗 磨紋 磨花 磨線 磨邊 磨角 磨圓 磨方 磨平 磨光
- 2) 磨平 磨光 磨細 磨粗 磨紋 磨花 磨線 磨邊 磨角 磨圓 磨方 磨平 磨光
- 3) 磨平 磨光 磨細 磨粗 磨紋 磨花 磨線 磨邊 磨角 磨圓 磨方 磨平 磨光
- 4) 磨平 磨光 磨細 磨粗 磨紋 磨花 磨線 磨邊 磨角 磨圓 磨方 磨平 磨光

規格說明:

- 1) 磨平 磨光 磨細: H8mm (H10mm, H12mm 磨平 磨光 磨細)
- 2) 磨平-磨光 磨細-磨粗 磨紋: 圓形, 方形, 菱形, Rhombus 磨紋
- 3) 磨平-磨光: 磨平, 磨光, 磨粗 (6 #, 16 #, 20 #, 30 #, 60 #, 80 #, 150 #, 220 # 磨平)
- 4) 磨平-磨光: 磨平 磨光, 磨粗, 磨細, 磨紋, 磨花, 磨線 磨邊

磨平 磨光 磨細 磨粗:



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

磨平 磨光 磨細 磨粗



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

磨平 磨光 磨細 磨粗

磨平 磨光 磨細 磨粗:

本公司備有各種型號之機器，歡迎各界人士垂詢，本公司備有各種型號之機器，歡迎各界人士垂詢，本公司備有各種型號之機器，歡迎各界人士垂詢。

歡迎各界人士垂詢：

- 1) 本公司備有各種型號之機器，歡迎各界人士垂詢，本公司備有各種型號之機器，歡迎各界人士垂詢。
- 2) 本公司備有各種型號之機器，歡迎各界人士垂詢，本公司備有各種型號之機器，歡迎各界人士垂詢。
- 3) 本公司備有各種型號之機器，歡迎各界人士垂詢，本公司備有各種型號之機器，歡迎各界人士垂詢。
- 4) 本公司備有各種型號之機器，歡迎各界人士垂詢，本公司備有各種型號之機器，歡迎各界人士垂詢。

歡迎各界人士垂詢：

Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui 華會路, Shuitou 水頭 362342 Quanzhou, 泉州, 福建

 電話: (+86) 595-86990206 /  WhatsApp: (+86) 595-86990220

 手機 / **WhatsApp** / 電話: (+ +) 13559599186

 郵箱: boreway09@boreway.net

 歡迎各界人士垂詢