



Double Bar Segments are used for grinding and polishing of various materials. They are available in different grits and sizes. The segments are made of a hard material and are mounted on a metal base. They are used in a variety of applications, including the grinding and polishing of metals, ceramics, and composites. The segments are typically used in a grinding wheel or a polishing machine. The grit size of the segments determines the surface finish of the material being processed. The size of the segments determines the amount of material that can be processed at one time. Double Bar Segments are a versatile and effective tool for grinding and polishing.


Double Bar Segments:

Double Bar Segments are available in different grits and sizes:







**Lavina Blank with
3 M6/M8 Threads**



**Lavina Blank with
3 Bare Holes**



Lavina Quick Loc Blank







[Click here to download the drawing of the components, and the drawing of the components](#)

Components:


The components are made of aluminum (aluminum, aluminum) and are used to connect the components. The components are made of aluminum, epoxy resin, and aluminum. The components are used to connect the components, and the components are used to connect the components.

(1) Components: 30 #, 16 #, 6 #, 6 #

The components are used to connect the components, and the components are used to connect the components. The components are used to connect the components, and the components are used to connect the components.

(2) Components: 30 #, 16 / 16 #, 6 / its #, 6 #

The components are used to connect the components, and the components are used to connect the components. The components are used to connect the components, and the components are used to connect the components.







Before Grinding and Polishing



After Grinding and Polishing

□□□:

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

□□□□ □□□: □□□□ □□□□, □□□ □□□□ □□ □□□□, □□□□□□□ □□□□□□ □□ □□□□□□ □□ □□□□□□ □□□□□□ □□□□

□□□□ □□□□ □□□ □□□□□□

□□□□ □□□□□□ □□ □□□ □□□□□□, □□□□□ □□□□□□□□□□□ □□□□ □□□ □□□□□□□ □□□□

□□□□ □□: □□□□□ □□□ □□□□□ □□□□□□

□□□□ □□: □□□□□ □□□□□□□ □□□□ □□□ □□ 6 / □□ 8 □□□□□□□ □□ □□□



Lavina Quick Lock Blank



Lavina Blank with 3 M6/M8 Threads



Lavina Blank with 3 Bare Holes

說明:

- 1) 此種鑽石工具空頭係採用高純度之鑽石材料製成，其硬度高、耐磨、且能長時間使用。
- 2) 此種鑽石工具空頭係採用高純度之鑽石材料製成，其硬度高、耐磨、且能長時間使用。
- 3) 此種鑽石工具空頭係採用高純度之鑽石材料製成，其硬度高、耐磨、且能長時間使用。
- 4) 此種鑽石工具空頭係採用高純度之鑽石材料製成，其硬度高、耐磨、且能長時間使用。

注意事項:

此種鑽石工具空頭係採用高純度之鑽石材料製成，其硬度高、耐磨、且能長時間使用。

產品規格:



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

此種鑽石工具空頭係採用高純度之鑽石材料製成，其硬度高、耐磨、且能長時間使用。

此種鑽石工具空頭係採用高純度之鑽石材料製成，其硬度高、耐磨、且能長時間使用。

說明:

〇〇〇〇 〇〇〇〇

〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇 〇〇〇〇〇 〇〇 〇〇 〇〇〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇〇〇〇〇 〇〇〇〇〇
〇〇〇〇 〇〇 〇〇〇〇〇 〇〇〇, 8 〇〇 〇〇〇〇 〇〇〇〇〇〇 〇〇 〇〇〇, 〇〇〇〇〇 〇〇〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇〇〇 〇〇〇〇〇, 〇〇〇〇〇 〇〇〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇 〇〇〇〇〇〇〇

〇〇 〇〇〇〇〇 〇〇〇〇 〇〇 〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇〇〇 〇〇 〇〇〇〇 〇〇〇?

〇〇 〇〇: 〇〇〇〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇〇〇 〇〇〇〇 〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇 〇〇 〇〇〇〇〇 〇〇 〇〇〇〇 〇〇, 〇〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇 〇〇 〇〇〇 〇〇〇〇〇〇〇 〇〇〇〇〇〇〇

〇〇〇〇〇 〇〇 〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇, 〇〇 〇〇〇〇〇 〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇, 〇〇〇〇〇 〇〇〇〇 〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇 〇〇〇〇〇〇〇〇〇 〇〇〇 〇〇〇〇 〇〇〇〇 〇〇 〇〇〇 〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇 〇〇〇 〇〇〇〇 〇〇 〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇

〇〇〇〇 〇〇〇〇〇〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇〇〇〇〇〇〇 〇〇 〇〇 〇〇 〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇〇〇

3. 〇〇〇〇 〇〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇〇〇 〇〇〇〇〇〇〇 〇〇〇〇 〇〇?

〇〇〇〇〇, 〇〇 〇〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇〇〇 〇〇〇, 〇〇〇〇〇 〇〇〇 〇〇〇〇〇 〇〇〇, 〇〇 〇〇〇〇〇 〇〇〇〇〇 〇〇 〇〇 〇〇〇 〇〇 〇〇〇〇〇 〇〇

〇〇 〇〇〇〇〇 〇〇 〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇 〇〇〇 〇〇 〇〇 〇〇〇〇 〇〇〇 〇〇 〇〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇, 〇〇 〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇


〇〇〇〇〇 〇〇 〇〇〇〇〇〇, 〇〇 〇〇〇 〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇 〇〇〇〇 〇〇 〇〇〇 〇〇〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇〇 〇〇 〇〇〇〇〇 〇〇〇〇〇〇〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇 〇〇〇〇



〇〇〇〇〇〇 〇〇〇〇〇〇 〇〇〇〇:

- 1. 〇〇〇〇 〇〇 〇〇〇〇 〇〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇
- 2. 〇〇〇〇 〇〇 〇〇〇〇 〇〇〇〇 〇〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇
- 3. 〇〇〇〇 〇〇〇〇〇〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇〇 〇〇〇〇〇〇〇〇〇 〇〇〇〇 〇〇 〇〇〇〇 〇〇〇

〇〇〇〇 〇〇〇〇〇〇〇 〇〇〇〇:


Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui 〇〇〇〇〇〇, Shuitou 〇〇〇〇 362342 Quanzhou, 〇〇〇〇〇〇〇〇〇, 〇〇〇

 〇〇〇〇〇〇: (+86) 595-86990206 /  〇〇〇〇〇〇: (+86) 595-86990220

 〇〇〇〇〇〇 / **WhatsApp** / 〇〇〇〇〇〇: (+ +) 13559599186

 〇〇〇〇: boreway05@boreway.net

 〇〇〇〇 〇〇〇〇