

00000:

0000 00 00000 00 000 00000000 00000 000000000 00000 000000 7.2 00000 0000000:



00 000000 000000000 00000 0000000 7.2 00000 00000000 00000 0000 00 00000 00 000000 00 000000 00 000000 00 000000 00 000000 0000 0000

00000 000000000 00000 000000 7.2 00000 00000000 0000 000000000 0000 0000 00 000000 00 0000 000000 00 000000 00 0000 0000 0000 0000 0000, 00 00000 00 0000000000, 00000 00 000000 00 00000 000000 00 0000 000000 0000 0000 0000, 0000000000 00000 00000 00 00 00000000 000000 00000 0000

00 000 00 0000000 00000000 0000 00000 00 0000000000 00 00000000 0000000 00!

000000 000000:

00 0000 000000000 0000000000 00 0000000000 0000000000 00000000 0000 0000 000000 0000 0000000000 0000000000 7.2 000000 000000000 00 00000000000000 00000000000000 00 0000 00000000 0000:


1000-3500 0000 0000000000 000000000 000000 00000					
000000		0000 00 00000			00000 00000
000	00000	000000	000000	000000	0000000
40	1000	24	7.4 / 6.8	15	70
44	1100	24	7.4 / 6.8	15	74

48	1200	24	7.5 / 7.0	15/20	80
52	1300	24	8.0 / 7.4	15/20	88
56	1400	24	9.0 / 8.4	15/20	96
64	1600	24	9.0 / 8.4	15/20	108
72	1800	24	10 / 9.0	15/20	120
80	2000	24	10.6 / 9.8	15/20	128
88	2200	24	11.5 / 10.5	15/20	136
100	2500	24	11.8 / 10.8	15/20	140
120	3000	24	13.0 / 12	15/20	160
140	3500	24	13.5 / 12.5	15/20/30	180

□□□□□□ □□□□ □□ □□□□ □□□□□□ □□□□ □□□□□ **7.2** □□□□ □□□□□□ □□□□□ □□□□□ □□ □□□, □□□□ □□□
 □□□□□□□ □□ □□□□ □□ □□□□□□ □□ □□□□ □□□□ □□ □□□□□ □□□ □□ □□ □□□□□□□□□ □□ □□□□□ □□□ □□□□□□□□□ □□ □□□□□□□□□ □□ □□□□□□ □□□ □□ □□□□ □□□

□□□□□□ □□□□□□:

□□□□ □□ □□□□ □□ □□□ □□□□□□ □□□□ □□□□□□ □□□□ □□□□□ **7.2** □□□□□ □□□□□□□□:



M shape Multi Layer Structure,
Good debris removal and better cooling

□□□□□□□□:

□□□□ □□□□ □□ □□□□□□ □□□□ □□□□□□□□ □□□□ □□□□□□ **7.2** □□□□ □□□□□□□□ □□□□□□□□, □□□□□□□□ □□ □□□□□ □□□□□, □□□□□□□□ □□ □□□ □□□□□□ □□□□ □□□□□□


Applicable materials

To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.






SPK: 24*8.4/7.6*15M
DIA: 600-1800/2000
FOR Granite
NUM: 100Pcs
SD604 6-18/20 U115 K45
DATE: 2013.03.26



Single Blade



□□□□ □□□□□□:



□□□:

1. □□ □□ □□ □□□□ □□ □□□□□□□□ □□ □□□□ □□ □□ □□□□ □□□□ □□, □□ □□□, □□ □□ □□□□ □□□□ □□□
2. □□□□ □□□□ □□□□□: □□□□ □□□□□, □□□□ □□□ □□ □□□□ □□ □□ □□□□□
3. □□□□ □□□□□, □□□□□□□□ □□□□ □□ □□□, □□□□□ □□ □□□□□□□ □□□ □□□□

□□□□□□ □□□□□□:




Fan Shape Edge Segment



Normal Shape Edge Segment



W Shape Edge Segment



K Shape Block Segment



V Shape Block Segment



M Shape Block Segment



Slant Slot Edge Segment



Turbo Shape Edge Segment



U Slot Edge Segment

□□□□ □□□□ □□□□:

□□ □□ □□□□ □□□□□□ □□□□□□ □□□□□□ control



□□□□□□ □□ □□□□□□:



📌📌📌 📌📌📌:

1. 📌📌📌 📌📌📌: 📌📌 📌📌 📌📌📌 📌📌📌📌 📌📌 📌📌 📌📌 📌📌📌 📌📌
2. 📌📌📌 📌📌📌: 📌📌 📌📌 📌📌📌 📌📌 📌📌 📌📌📌📌 📌📌
3. OEM 📌📌📌📌📌: 📌📌 📌📌📌 📌📌 📌📌📌 📌📌📌📌 📌📌📌 📌📌 📌📌
4. 📌📌📌 📌📌📌📌: 📌📌 📌📌 📌📌📌📌 📌📌📌📌 📌📌📌📌 📌📌 📌📌📌 📌📌📌 📌📌📌📌📌📌 📌📌
5. 📌📌📌 📌📌📌: 📌📌 📌📌📌 📌📌📌📌 📌📌 📌📌 📌📌 📌📌 📌📌📌📌📌📌 📌📌 📌📌📌 📌📌 📌📌📌 📌📌 📌📌 📌📌📌 📌📌

📌📌📌📌 📌📌📌📌:

1. 📌📌 📌📌 📌📌📌 📌📌📌 📌📌📌 📌📌, 📌📌 📌📌📌📌📌 📌📌 📌📌 📌📌 📌📌? 📌📌📌 📌📌📌 📌📌📌📌 📌📌 📌📌 📌📌📌📌 📌📌📌, 📌📌📌📌📌 📌📌 📌📌📌 📌📌 📌📌📌📌📌 📌📌, 📌📌 📌📌📌📌📌📌📌 📌📌📌 📌📌 📌📌📌📌 📌📌📌 📌📌 📌📌📌📌 📌📌 📌📌, 📌📌 📌📌📌 📌📌📌

በዚህ አገልግሎት ላይ አድርገው ለመገኘት ይችላሉ።

2. ለምሳሌ የሆነ ለውጥ ለማድረግ ለምን ማድረግ ይገባል? የሆኑ ለውጦች ለውጥ ለማድረግ ይችላሉ:

- 1. የደንበኞች ምርቶች ለማድረግ
- 2. የደንበኞች ምርቶች ለማድረግ ለምን ማድረግ ይገባል, የሆኑ ለውጦች ለውጥ ለማድረግ ይችላሉ
- 3. የደንበኞች ምርቶች ለማድረግ





3. የደንበኞች ምርቶች ለማድረግ? የሆኑ ለውጦች ለውጥ ለማድረግ ይችላሉ, የሆኑ ለውጦች ለውጥ ለማድረግ ይችላሉ የደንበኞች ምርቶች ለማድረግ ይችላሉ

የደንበኞች ምርቶች ለማድረግ:

የደንበኞች ምርቶች ለማድረግ ለምን ማድረግ ይገባል, የሆኑ ለውጦች ለውጥ ለማድረግ ይችላሉ የደንበኞች ምርቶች ለማድረግ ይችላሉ

የደንበኞች ምርቶች ለማድረግ:

Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui , Shuitou  362342 Quanzhou, 

 የደንበኞች ምርቶች ለማድረግ: (+86) 595-86990206 /  የደንበኞች ምርቶች ለማድረግ: (+86) 595-86990220

 የደንበኞች ምርቶች ለማድረግ / **WhatsApp** / የደንበኞች ምርቶች ለማድረግ: (+ +) 13559599186

 የደንበኞች ምርቶች ለማድረግ: boreway06@boreway.net

 የደንበኞች ምርቶች ለማድረግ