


□□□□□:



□□□ □□□ **PCD** □□ □□ □□□□□ □□□□□□ □□ □□□ **Lavina** □□□□□□ □□□ □□□□□

PCD □□□ □□□□□ □□□□ □□□ □□; □□□ □□□□□, □□□□□□□□, □□□□□□□□ □□□□ □□ □□□□ □□ □□□□ □□□□ □□□ □□□ □□□□□□□□ □□ □□□□□□ □□□□□ □□ □□□ □□□□□□□□ □□□□ □□□□ □□□

□□□□□ □□□□□:

□□□□□□□□□□ □□□□□□ □□□□□□□□ □□□ □□□□□ **Lavina** □□□□□□ □□□ □□□□□:

□□□:	□□□□□ □□□□□□□ □□□□□ □□ □□□□□□
□□□□□ □□□□□:	16 # 30 # 50 # 120 # □□ □□□□ □□
□□□□:	Lavina
□□□□□ □□□□□	□□□ □□□ □□□□□□ □□ □□ □□□□□ □□□□□□ □□□□□□□□
□□□□□□□:	□□□□□ + □□□□□ □□□□□□
□□□□□□□□:	□□□□□□□□□□□□□□□□ □□□□ □□□□□□□□□□
□□□□□□:	□□□□, □□□□□□ □□□□□□, □□□□□□
□□□□□□:	□□□□□ □□□ □□□□□□□□


□□□□ □□ □□□□ □□□□□□□□□□ □□ □□□ □□□□□ □□□ □□ □□□□□□□ □□□ □□ □□□□□ □□□□□□ □□□□ □□ □□ □□□□□

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina



Segment Size:Three 1/2PCD And One Round Segment

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina

PCD Concrete Grinding Plate For Lavina

Concrete grinding machine is used to grind the concrete surface. It is a heavy-duty machine with a large grinding disc. The disc is made of metal and has a rough surface. The machine is used to grind the concrete surface to a smooth finish. It is used in a variety of applications, including floor grinding, concrete leveling, and concrete repair.



Grinding Machine



Concrete Grinding Effect

Procedure:


- 1) Prepare the concrete surface by removing any loose material, dust, and oil. Then, apply a thin layer of epoxy resin to the surface.
- 2) Grind the concrete surface with a concrete grinder to a smooth finish.
- 3) Apply a second layer of epoxy resin to the surface.
- 4) Grind the concrete surface again to a smooth finish.

Conclusion:

4) 本公司 代理 各種 進口 機械 設備 及 各種 工業 機械 設備 之 銷售 及 維修 業務 歡迎 各界 人士 垂詢 洽談 詳情 請 洽 本公司 業務 部

聯絡電話：0595-86990206

Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui 工業園, Shuitou 鎮 362342 Quanzhou, 福建省, 中國

 電話: (+86) 595-86990206 /  WhatsApp: (+86) 595-86990220

 手機 / **WhatsApp / WeChat:** (+ +) 13559599186

 郵箱: boreway09@boreway.net

 總經理 陳