

00000:



00000 00 000 0000 000 000000000 **Redi** 000 0000000 000 000 **Epoxy**

000000 000 0000 00 000 00 0000000 00 000 00 000 00 0000 00 00 00 00000 00, 00 000000 00 000000 00 000000 00 000 00 00 00 00 0000 0000

0000000 000 00000 00000 000000 00 0000000000 0000 000000 0000000000 00 00000 0000000 00 0000000 00 000000 00 000000 00 00000 000

000000 000000:

00000000000 00000000 00000000000 000 0000000 000 0000:

0000:	0000000 000 000
00000:	000000 00 000 00000000
000 000000:	16-270 # 0000
000000000:	0000 00 0000 000000
000000:	000000000, 000000000 00 000000 00 00000
00connection:	000000000000000000 0000 000 00 00000000000000000 0000 000
00000:	00000000000 00 0000000000000000 0000000 0000000000000 000000000000 00000
0000000:	0000 000 000000, 000000 0000000, 000000 0000000, 000000 0000000, 00000 00000 0000000, 000 00000 00000

00000 00 00000 00000000000 00 000 000000 0000 00 000000000 0000 00 000000 00000000 00000 00 00 00000

□□

□□□ □□□□□□ □□ □□□ □□□□□□ □□□□□□□□□□ □□ □□□□□ □□□□□□

□□□□□□ □□□□□□:

□□□□□□ □□□ □□□:

Husqvarna or  
Scanmaskin Redi Lock




One M Shape Segment

<Diamond Grinding Pad>



30M





Husqvarna Redi Lock Blank    Scanmaskin Blank

**Connection:**

- (1) 1. Connect the blank to the...
- (2) 2. Connect the blank to the...

[Click here for more information about the blank components.](#)

**Installation:**

The blank is used to connect the (Husqvarna, Scanmaskin) blank to the blank. The blank is used to connect the blank to the blank, epoxy resin is used to connect the blank to the blank, the blank is used to connect the blank to the blank, the blank is used to connect the blank to the blank.



# Application





**Before Grinding and Polishing**



**After Grinding and Polishing**

□□□:

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

□□□□ □□: □□□□ □□□, □□□ □□□ □□ □□□, □□□□□□ □□□□□□ □□ □□□□□□ □□ □□□□□□ □□□□□□ □□□□

□□□:

1) □□□□□□ □□□□ □□ □□□ □□□ □□ □□□ □□□□□□ □□□□ □□□□

2) 請說明此種鑽頭的優點及缺點。

3) 請說明此種鑽頭的適用範圍。

4) 請說明此種鑽頭的選購要點。

請說明：

請說明此種鑽頭的優點及缺點，適用範圍，選購要點。

請說明：



Boreway Machinery Co.,Ltd  
www.diamondtools.top  
www.boreway.net

請說明此種鑽頭的優點及缺點。



Boreway Machinery Co.,Ltd  
www.diamondtools.top  
www.boreway.net

請說明此種鑽頭的優點及缺點。

請說明：





**○○○○○ ○○○○:**

1. 鋼 鋼板 鋼卷鋼: 鋼 鋼 鋼 鋼板 鋼卷鋼 鋼 鋼板 鋼 鋼板 鋼 鋼板 鋼板
2. 鋼板 鋼 鋼板: 鋼 鋼 鋼板 鋼 鋼板 鋼 鋼板 鋼板
3. OEM 鋼板鋼卷鋼: 鋼 鋼板 鋼板 鋼 鋼板 鋼 鋼板 鋼板 鋼板 鋼板
4. 鋼板鋼卷鋼鋼板: 鋼 鋼 鋼板 鋼板鋼卷鋼 鋼板鋼卷鋼 鋼板 鋼板 鋼板 鋼板鋼卷鋼 鋼板
5. 鋼板鋼 鋼板: 鋼 鋼板 鋼板鋼卷鋼 鋼 鋼 鋼板 鋼板 鋼 鋼板鋼卷鋼鋼板 鋼 鋼板鋼 鋼 鋼板 鋼板 鋼 鋼板 鋼板

**○○○○○:**

1. 鋼板 鋼 鋼板 鋼板鋼 鋼 鋼板鋼 鋼板 鋼板鋼 鋼, 鋼 鋼板 鋼板 鋼板鋼鋼 鋼板 鋼板 鋼板鋼?  
鋼板鋼 鋼板 鋼板 鋼板 鋼板鋼鋼鋼 鋼板 鋼 鋼 鋼板 鋼板鋼鋼鋼 鋼 鋼板 鋼板鋼鋼 鋼, 鋼  
鋼板鋼鋼 鋼 鋼 鋼板 鋼板 鋼板鋼鋼鋼 鋼 鋼板 鋼板鋼鋼鋼 鋼 鋼板 鋼板鋼 鋼板鋼鋼鋼 鋼 鋼板鋼

