




Boreway Machinery Co.,Ltd www.diamondtools.top www.boreway.net

### 00000 00000:

000:	000 000 0000 00000 00000 000			
000000 00000:	16-400 #			
	2T			
000 00 0000:				
000000:				
	0000 0000000, 00000 000			
000000:				
0000:	00000000 / 0000000000 00000 0000000000 00000000			

# 00000 00000:



Two Segment Shoe



- 2. 00000 00000-0000
- 3. 0000 0000 0000

### 

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

### 

### 00000:



Husqvarna Redi Lock Blank Scanmaskin Blank







- 1) 0000000000 00000000 00 00000 000 0000 00 00 00 00 00 00 00 000
- מתחתם בת התחתום התחתום בת התחתום בת התחתום בת התחתום בת התחתום בת התחתום (3)
- 4) סממת מתחתום מת מתחתום מתחתום מתחתום מ





### 

#### 

#### 

### 00000:

3. 0000 0000 00000 000000 000000 000

## 00000 00000:

# 00000 0000:

Fujian Nanan functional Machinery Co.,Ltd.





**⊠**□□□: boreway@boreway.com