



Workable Thickness: 10mm



Diameter: 80mm





Selected Nylon Back Velvet

Long high-quality nylon back velvet is used to paste firmly, and repeated tearing and pasting will not be damaged.





Long Life Use

10mm grinding thickness, compared with 3mm water grinding plate on the market, one piece is top of three piece.



Selected Diamond Raw Materials

Adopts imported carborundum powder, which can be polished quickly and used more quickly.

□□□□:

3 □□□ □□ □□□□ □□□□□ □□□□□□ □□ □□□□□ □□ □□□□□□ □□□□ □□ □□□□

□□□□□, □□□□□□□, □□□□ □□□□□ □□□□ □□□□ □□ □□□ □□□□ □□□□□□□ □□□ □□□□

□□□□□ □□□□□ □□□□ □□□, □□ □□□□□ □□□□ □□□ □□□□□□□□□□ □□ □□□□□ □□□□:

1. □□□□ □□□□□ □□□□ (□□□□ □□ □□□□□ □□□□□)
2. □□□□□ □□□□□ (50-3000 #, □□ □□□□□□□)
3. □□□□□□ □□ □□□□□ □□□□ (□□□□ □□□□□□□□□, □□□□□ □□□□□□□□ □□□□)
4. □□□□□□ (□□□□□, □□□□□□□□□□, □□□□□□ □□ □□□□, □□□□□□, □□□□)
5. □□□□□□□□□ □□□ □□ □□□□□□ (80 □□□□□, 100 □□□□□, 125 □□□□□, 150 □□□□□)
6. □□□□□□□□□ □□ □□□□□ □□□□ (□□□□□□□□□, □□□□□□□□□ □□ □□□□ □□□□□□□, □□□□□, □□□□□□□□□□ □□ □□□□□ □□□□□□)

