


□□□□□□□□-□□□□ 12514	5	125	3	14	□□ 10 □□ 14 □□ 16 5/8 "-11 40h-50h Φ74-3 * M8 □□□□□ □□□□□□□	□□□□ □□□ □□□□□ □□□
□□□□□□□□-□□□□ 12514			4	14		
□□□□□□□□-□□□□ 12520			3	20		
□□□□□□□□-□□□□ 12520			4	20		
□□□□□□□□-□□□□ 12530	5	125	3	30		
□□□□□□□□-□□□□ 15014	6	150	4	14		
□□□□□□□□-□□□□ 12520	6	150	4	20		
□□□□□□□□-□□□□ 155045	6	150	3	45		
□□□□□□□□-□□□□ 15030			4	30		
□□□□□□□□-□□□□ 20045	8	200	4	45		
□□□□□□□□-□□□□ 20030			6	30		
□□□□□□□□-□□□□ 255045	10	250	5	45		
□□□□□□□□-□□□□ 25030			6	30		
□□□□□□□□-□□□□ 30045	12	300	6	45		
□□□□□□□□-□□□□ 30030			9	30		
□□□□□□□□-□□□□ 35045	14	350	9	45		
□□□□□□□□-□□□□ 35030			12	30		


□□□□□□ □□□□□□□□□□

□□□□□□□□ □□ □□□ □□□ **150** □□□□ □□□□□ □□□ □□□□□□ □□□ □□□ □□□□□

The inner diameters of common connectors for quick interfaces are 42mm, 45mm, 47mm, 50mm, etc.




40mm



150mm

45 Teeth




3 Pin



For cushioning & shock absorption

Spring



Used to put lubricating oil


Grease Nipple





□□□□□:

□□□ □□ □□□□□□ □□□□□ □□□□ □□ □□□ □□ □□□□□ □□□□□□ □□□□□□

□□□□□ □□□ □□□□□□ □□□ □□□ □□□□□ □□□□□□□□□□, □□□□□□□ □□ □□□□ □□□□□ □□ □□□□







Marble



Granite



Quartz



Sandstone




Limestone



Concrete Floor



Asphalt Pavement



□□□□□□ □□□□□□

1. □□□□ □□ **OEM** □□□□□ □□□□□□□ □□ □□□□ □□□?

□□□, □□□□□□□ □□□□□□ □□□ □□ □□□, OEM □□□□ □□□□□□□ □□□□□□ □□□

2. □□□□ □□ □□□□□□□ □□ □□□□□□□ □□□□□ □□□?

□□ □□□□□□□ □□□□ □□ □□□□□ □□□ □□□ □□ □□□□□□□□□□ □□□□□ □□□

3. □□□ □□□□□□□□ □□□□ □□ □□□□□ □□□?

- 專業 團隊 提供 各種 設備 零件 代客 維修 保養 服務
- 承接 各種 機械 設備 搬運 安裝 工程 及 維修 保養 服務
- 承接 各種 機器 零件 代客 維修 保養 服務
- 承接 各種 機械 設備 搬運 安裝 工程 及 維修 保養 服務
- 承接 各種 機器 零件 代客 維修 保養 服務



歡迎 垂詢 洽談：

Fujian Nanan *boreway*® Machinery Co.,Ltd.

NO.605 Huahui 路, Shuitou 鎮 362342 Quanzhou, Fujian, China

電話: (+86) 595-86990206 / 電話: (+86) 595-86990220

/ **WhatsApp** / 電話: (+ 86) 18650679939

郵箱: **boreway@boreway.com**

Lyon Chang