00000:




00000 00000:

000:	
000 00000:	16-270 # 🖂 🖂 🖂
00000:	
000000:	00 000 000 000 000000
0000:	0000 000 00000, 00000 00000, 0000 00000 00000, 00000000


00000 00000:






Two Pins Redi Lock Diamond Grinding Shoes











After Grinding and Polishing

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR	ll en					





Two Round Pins Redi Lock Blank

Two Square Pins Redi Lock Blank

00 000 **Redi** 000 0000:

10 00 000 0000 0000 0000 00000

20 00 0000 0000 0000 0000 00000

- **1)** DOCUMENTA DE CONTRETA DE COMO DE

00000000:

000000 000000:





Boreway Machinery Co.,Ltd
www.diamondtoots.top

0000 0000 000:



00000:

3. 0000 0000 00000 000000 000000 000

00000 00000 000:

- 1. 0000 00 0000 0000 00000 00000
- 2. 0000 00 0000 0000 0000 00000 00000

0000 000000 0000:

Fujian Nanan homeway Machinery Co.,Ltd.

X No.605 Huahui □□□□□□, Shuitou □□□□ 362342 Quanzhou, □□□□□□□□,

☎□□□□□: (+86) 595-86990206 / **᠑**□□□□□: (+86) 595-86990220

□□□□□□ / **WhatsApp** / □□□□□: (+ +) 13559599186

boreway05@boreway.net