


□ □ □ □ : _____



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

0000000000 0000 0000000000 00 0000 000000 000000 00000000 00 0000 000000 000000 000000 000000
 000000

[illegible]

□□□□ :

1. 材料 鋼筋混凝土:ne鋼筋混凝土
2. 鋼筋:鋼, 鋼筋 鋼 鋼筋 鋼筋
3. 鋼筋鋼筋 鋼筋:12 鋼筋, 10 鋼筋
4. 鋼筋:鋼筋鋼筋 鋼, 鋼筋 鋼筋鋼筋, 鋼筋鋼筋, 鋼筋鋼筋, 鋼筋, 鋼筋 鋼筋鋼筋, 鋼筋鋼筋鋼筋 鋼筋
5. 鋼筋鋼筋: **Terrazzo**, 鋼筋鋼筋, 鋼筋鋼筋鋼筋, 鋼筋鋼筋鋼筋 鋼 鋼筋 鋼筋鋼筋 鋼 鋼筋鋼筋 鋼 鋼筋 鋼筋鋼筋鋼筋
6. 鋼筋鋼筋 鋼筋:6 #, 16/18 #, 20/25 #, 30/40 #, 50/60 #, 70/80 #, 80/100 #, 120/150 #, 200/220 #, 325/400 #

Werkmaster 10000 10000 10000 10000 1000 1000 1000 10 1000 10000000 10 10000000 10000000 1000 10000000 10000 10 10000 10, 10000 10000000 10 100000 10000 10 10000000 10 10000000 10000000 10 10000000 10 10000000 10000 10 10000 10

```

██ ████████ ██ werkmaster ██ ███ redi ███ ███████ ████████

```

00 000000 00 werkmaster 00 0000 redi 0000 00000, Werkmaster 00000000 000000 00 00000 0000 0000
00000

Figure 2: Trapezoid Werkmaster red blank

Figure 1: Fan-shaped Werkmaster blank



Werkmaster Two Pins
Fan Shape Blank



Werkmaster Two Pins
Trapeziod Shape Blank

Blank Dimensions:

Blank dimensions are given in millimeters (mm) unless otherwise specified. Werkmaster blank:



Blank:	Werkmaster blank dimensions
Blank type:	1T
Blank:	Werkmaster
Blank dimensions:	10 mm, 12 mm
Blank dimensions:	Blank dimensions
Blank dimensions:	Blank dimensions
Blank dimensions:	Blank dimensions
Blank dimensions:	Blank dimensions
Blank dimensions:	Blank dimensions + Blank dimensions

Blank dimensions are given in millimeters (mm) unless otherwise specified. Blank dimensions are given in millimeters (mm) unless otherwise specified.

磨床砂轮 磨床砂轮:


磨床 磨床 磨床 磨床 **werkmaster** 磨床

- 1. Segment Long Lifespan
- 2. High Working Efficiency




- 3. Balanced And Stable Grinding
- 4. Grit: 16/18# 20/25# 50/60#
80/100# ETC

- 5. Segment No.: 10mm, 12mm



- 6. Very Strong Between The Cutter Head And The Base

boneway®



boneway®



[www.boneway.com](#)

Application:


Our **werkmaster** composite material is used for the production of

various components: e.g. for the production of pipes, tanks, containers, etc., for the production of structural components, for the production of reinforcement components, etc.

Our composite material (fiber-reinforced plastic) is used for the production of various components: e.g. for the production of pipes, tanks, containers, etc., for the production of structural components, for the production of reinforcement components, etc.



Werkmaster 公司 生产 各种 规格 的 工业 用 地板 抛光 机 和 磨 光 机。 这些 设备 适用于 各种 工业 环境， 如 仓库、 工厂、 停车场 和 商业 建筑。 它们 具有 强大的 引擎、 耐用 的 磨 光 盘 和 易于 操作 的 手柄。 此外， 它们 还 具有 安全 功能， 如 紧急 制动 和 安全 开关。 如果您 需要 更多 信息， 请 联系 我们 的 销售 人员。



联系方式: 000000 000000 0000



實驗目的：

實驗：

1. 了解實驗目的、實驗原理、實驗步驟
2. 了解實驗原理，了解實驗原理 / 了解實驗原理、了解實驗原理 / 了解實驗原理
3. 45 分鐘內，了解實驗原理、了解實驗原理、了解實驗原理 (了解實驗原理)
4. 了解實驗原理、了解實驗原理、了解實驗原理、了解實驗原理、了解實驗原理、了解實驗原理

