

000000:



000000 0000 0000 00 000 000 000 **PCD** 000

0000000 00000000000 000000 0000 0000 0000000

0000000 00000 00000 00 0000 000000000000 0000 0000000 0000000 000000 0000000, 0000000000, 000000 00 00000 00 00000 0000 0000000 0000000 00 0000 0000000000 000000 0000 0000 00000000000 0000000 0000 000000 00 0000000

0000000 00000 00000 00 0000 000000000000 0000 0000000 0000 00000000 00 00000000000 00000 000000, 0000000000, 000000, 0000000000, 00000 0000000, 0000000 0000000000, 0000000 0000 0000000000 00 0000-0000 0000000000 00000 00 00000 0000 0000000000 00 0000000 00 0000 0000000 00000 00000 0000

000000 000000:

000000000000 000000000 00000000000 0000 0000 0000 **PCD** 0000 0000000000 000000000000 0000000 0000 0000 0000000 0000000 00000 00000:

0000000:	0000000 00000 00000
00000:	PCD 000 0000 0000
0000 000 00000:	1/2 PCD * 3T 000 D25mm * H5mm * 1T
0000 000000:	16-270 # 00000
000000000:	PCD + 00000000 000000000 + 000000 00000000
000onnection:	3 00000 000 6 000 000 8 000 000000 0000
0000000:	0000000000 000 Terrazzo 0000000
000000:	0000000 0000000000000 0000000000000 000000

000000: 000000 000000, 000000 000000, 000000 000000

0000 00 0000 0000000000 00 000 000000 0000 00 00000000 0000 00 000000 00000000 00000 00 00 00000 0000

0000 00000000 00 0000 00000000 000000000000 00 00000000 00000000

00000000 00000000:

00000000 000000 00000 00 0000 0000 0000 **PCD** 0000 0000000000 000000000000 00000000 0000 0000 00000000:

Diamond Segment
(D25mm*H5mm*1T)



Application: Concrete and Terrazzo Floor

<PCD Diamond Grinding Shoes>


0000 00 000000 0000000000 0000 00000 00000 0000, 00 00 0000 00 000000 00 00000 00000

000000000000:

00000000 00000 00000 00 0000 000000000000 0000 00000000 0000000000 (0000000000, 00000000) 0000 000000 00 0000 0000000000 00, 000000 000000000000 00 000000, 000000, epoxy 00000000 00 000000 0000000000, 000000 0000000000

□□ □□□□ □□□□□□, □□□□ □□□□ □□ □□ □□ □□□□ □□□□ □□□□ □□□□





000:

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

00000 000: 00000 0000, 000 0000 00 0000, 00000000 0000000 00 0000000 00 0000000 0000000 0000000 0000

000:

- 0000 0000 00 000000000 00000 00 000000 00 00 0000000 00000 00 00000 00000 00 00000 000000000 00000 000000000 00000 0000
- 000 00000000 000000 00000 00 0000 000000000000 000000000 00 000000000 00 0000 00000 00 00000000 0000
- 00000 00000 00 0000 00000 00, 0000000 00 00000 0000 00 0000 0000000000 00000 000000 00000 00 0000 000000 00, 00000 00 00000 0000 00 0000 0000 000000000

□□□□□□□□□□:


□□□□□□□□ □□□□□ □□ □□□□□□□□□□, □□ □□□□□, □□□□□□ □□□□ □□□□□□□□

□□□□□□□□ □□□□□□□□:




Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

□□□□□□ □□ □□□□□□ □□□□ □□□□□□



Boreway Machinery Co.,Ltd
www.fordiamondtools.com
www.diamondtools.top

□□□□□□ □□ □□□□ □□□□ □□□□□□



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

PCD □□ □□□□ □□□□□□□□□□□□ □□□□□□

□□□□□□ □□□□□ □□□□□:

