

00000:



000000 00 00 000 000 000 0000000 00000 0000000 0000000000 000000 000000 **PCD** 000 0000

000000 000000 **PCD** 000 00000 0000000 0000 00 00000, 00000000, 00000 00 0000 00 0000 000 0000 000000 00000 00 000 00000000 00000 000 000 000000000 000000 000 00000 00000 00000 0000 0000

000000 000000 **PCD** 000 00000 000 0000000 00 000000000 0000 0000, 00000000, 00000, 00000000, 000000000, 00000 00000, 0000000 00000000, 000000 000 0000000 00 000-000 00000000 00000 00 00000 000 00000000 00 000000 00 000 000000 00000 00000 0000

000000 000000:

00000000000 00000000 0000000000 000 00000000 00 00 000 000 000 00000000 000000 00000000 00000000000 0000000 0000000 **PCD** 000 0000:


0000000:	000000 00000 00000
00000:	00 000 0000000 00 00 000000 000000000
0000 00000:	1/2 PCD * 2T 00 D25mm * H5mm * 2T
0000 000000:	16-270 # 00000
000000000:	PCD + 00000000 000000000 + 00000 00000000
00000000000:	3 00000 00 6 00 00 8 00 00000 0000
0000000:	000000000 00 Terrazzo 000000
000000:	000000 000000000000 000000000000 00000
0000000:	0000000 0000000, 00000000 0000000, 0000000 0000000

00000 00 00000 00000000000 00 0000 000000 0000 00 000000000 0000 00 000000 00000000 000000 00 00 00000

PCB
PCB board is used to mount the components and provide a common ground for the system.

PCB Board:

The PCB board is used to mount the components and provide a common ground for the system. **PCD** (Pitch Circle Diameter) is the distance between the centers of adjacent holes.



The PCB board is used to mount the components and provide a common ground for the system.

PCB Board:

The PCB board is used to mount the components and provide a common ground for the system. **PCD** (Pitch Circle Diameter) is the distance between the centers of adjacent holes. The PCB board is used to mount the components and provide a common ground for the system. epoxy is used to secure the components to the PCB board.

