

□□□□:



此 零件 係 根據 以下 之 規格 製造 之 零件 其 製造 之 公差 係 按照 以下 之 規格 執行 其 製造 之 公差 係 按照 以下 之 規格 執行 其 製造 之 公差 係 按照 以下 之 規格 執行

□□□□ □□□□:

□□□□□□ □□□□□□□□ □□□□□ □□□□□ □□□□□□□□ □□□ □□□:

□□□:	Trapezoid □□□□□ □□□□□□ □□□ □□□□□
□□□□□ □□□□□:	□□□□, □□□□□, □□□□□ (16 #, 24 #, 36 #, 46 #, 60 #, 80 #, 120 #, 180 #, 230 #, 270 # □□□)□
□□□ □□ □□□□:	H8mm (H10mm, H12mm □□ □□□□□□□□ □□□□ □□ □□□□ □□)
□□□□ □□□□	2 □□□ □□□ □□□□□□□□

Material:	Aluminum + Stainless Steel
Dimensions:	Standard size, 50mm x 50mm x 5mm
Weight:	Approx. 15g (varies by material and finish)
Finish:	Anodized Aluminum / Stainless Steel

This product is designed for use in applications requiring high strength and durability. It is suitable for use in marine environments and other corrosive conditions.

**Material:**

Material: **Concrete**

Size:H8mm  
Segment No.:2T  
Segment Type:Arrow



Connection Type:Polar Magnetic or 3 M6 Threaded Holes

[Click here for more details and specifications.](#)

**Material:**

**Trapezoid** material properties and applications

The trapezoidal shape is a common geometric form used in various engineering and architectural applications. It offers a combination of strength and stability, making it suitable for use in a wide range of environments. The material properties and finish options are detailed in the accompanying table.



Grinding Machine



Concrete Grinding Effect



- 1) 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩
- 2) 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩
- 3) 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩
- 4) 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩

**鋼絲繩 鋼絲繩:**

- 1) 鋼絲繩 鋼絲繩: H8mm (H10mm, H12mm 鋼絲繩 鋼絲繩 鋼絲繩)
- 2) 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩: 鋼絲繩, 鋼絲繩, 鋼絲繩, Rhombus 鋼絲繩
- 3) 鋼絲繩: 鋼絲繩, 鋼絲繩, 鋼絲繩 (6 #, 16 #, 20 #, 30 #, 60 #, 80 #, 150 #, 220 # 鋼絲繩)
- 4) 鋼絲繩: 鋼絲繩 鋼絲繩, 鋼絲繩, 鋼絲繩 鋼絲繩, 鋼絲繩, 鋼絲繩 鋼絲繩

**鋼絲繩 鋼絲繩:**



鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩



鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩

**鋼絲繩 鋼絲繩 鋼絲繩:**

鋼絲繩 鋼絲繩

鋼絲繩 Nanan BOREWAY MACHINERY 鋼絲繩, 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩

鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩

鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩, 鋼絲繩 鋼絲繩 鋼絲繩, 鋼絲繩 鋼絲繩 鋼絲繩, 鋼絲繩 鋼絲繩 鋼絲繩, 鋼絲繩 鋼絲繩 鋼絲繩, 鋼絲繩 鋼絲繩 鋼絲繩, 鋼絲繩 鋼絲繩 鋼絲繩

鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩, BOREWAY 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩

鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩

鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩

鋼絲繩 鋼絲繩

鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩

鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩

鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩

**鋼絲繩 鋼絲繩:**


1. 鋼絲繩 鋼絲繩: 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩
2. 鋼絲繩 鋼絲繩: 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩



公司 地址

公司地址 地址:

## Fujian Nanan *boreway*® Machinery Co.,Ltd.

 No.605 Huahui 路, Shuitou 镇 362342 Quanzhou, 福建省, 中国

 电话: (+86) 595-86990206 /  微信: (+86) 595-86990220

 手机 / **WhatsApp** / **WeChat**: (+ +) 13559599186

 邮箱: [boreway09@boreway.net](mailto:boreway09@boreway.net)

 联系人 姓名