00000:

- 1, 000000 0000 00 00000 00
- 3, 0000 000000 000 000 0000
- 4, 00000 00 00000 0000 0000 0000
- 5, 0000000 00000 000000 00 000000 00 000




Redi-Lock Style

Diamond Concrete Floor Grinding Plates are the best solution for large areas of thin coating removal, leveling and smoothing high spots in concrete, and work very well for concrete cleaning.

Two E Shape Sement

Their segments are designed for aggressive grinding of concrete to make short work of your larger projects.






These High Quality Diamond Grinding Tools are also ideal for the initial steps in concrete polishing procedures.

00 0 0000 000000 000000 0000000 00000Husqvarna 00000 00 000 00000

□□□□:6 #, 16 #, 20/25 #, 30/40 #, 50/60 #, 70/80 #, 80/100 #, 120/150 #, 200/220 #, 325/400 #

00000000:

000 00 0000:	24 * 4/20 * 13 [[[[
000 000000:	
0000:	
000 0000:	
00000:	
	6 #, 16 #, 20/25 #, 30/40 #, 50/60 #, 70/80 #, 80/100 #, 120/150 #, 200/220 #, 325/400 #
	0000 00000, 00000, 000000, 00000, 00000, 00000, 00000, 00000 00000, 00000000








00000:







00000 0000 000:



000000:

- 2. 0000 000 / 0000 00 000 000 000, 0000 00000 / 00000 0000000 00
- 3. _ _ _ _ _ 45 kg, _ _ _ _ _ _ _ _ _ kg







- For sample or small orders, products could be sent by express, TNT, DHL, UPS, FedEx, EMS etc.
- For large orders, shipping by sea or air is recommended. By our long-term cooperate agent or your appointed forward
- By sea, port of loading: Shanghai, Ningbo, Xiamen, Qingdao etc.











00000 0000: