



□□

□□□□ □□□□□□ □□ □□□□ □□□□□□□□□□ □□ □□□□□□ □□□□□□

□□□□□□ □□□□□□:

□□□□□□ **Terrazzo** □□□□□ □□ □□□ □□ □□ □□□□□□□□ **HTC EZ** □□□□ □□□□ □□□□□ □□□ □□□□□□:

### Two M Shape Segments



### HTC Grinding Shoes

Other:




□□□□□□□□□□:

□□□□□□□□ (□□□□□□□□, □□□□□□□□) □□□□ □□□□□□ □□ □□□ □□□□□□□□ □□, □□□□□ □□□□□□□□□□ □□ □□□□□, □□□□□, epoxy □□□□□ □□ □□□□ □□□□□□□□, □□□□□ □□□□□□□□ □□ □□□□ □□□□□□□□, □□□□□ □□□□ □□□ □□ □□□ □□□□□□ □□□□ □□□□ □□□







□□□:

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

□□□: □□□□ □□□□, □□□ □□□□ □□ □□□□, □□□□□□□ □□□□□□ □□ □□□□□□ □□□□□□ □□□□□□ □□□□□

□□□□:

□□□□ □□ □□□□□□ □□□□□□ □□ □□□□□ □□□□ toughest □□□□□□□□□□ □□ □□□ □□□□ □□□□ □□□□

□□□□□□□□□□:

□□□□□□□□□ □□□□□ □□ □□□□□□□□□□, □□ □□□□□, □□□□□□ □□□□ □□□□ □□□□□

□□□□□□□□ □□□□□□□□:




Boreway Machinery Co., Ltd  
www.diamondtools.top  
www.boreway.net

2 0000000000 0000 00000



Boreway Machinery Co., Ltd  
www.diamondtools.top  
www.boreway.net

2 00000000 0000 00000



Boreway Machinery Co., Ltd  
www.diamondtools.top  
www.boreway.net

3 0000000000 0000 00000

000000 00000 00000:



000000 00000:

1. 00 0000 0000000: 00 00 00 000000 00000000 00 0000 00 0000 00 0000 0000
2. OEM 00000000000: 00 0000 000000 00 000000 00 0000000 00000000 00 0000 0000
3. 000000 00000: 00 0000 00000000 00 00 0000 0000 00 00000000000000 00 0000000 00 0000 000000 00 0000 0000 000000 0000

