

□□□□:



□□□□ □□□□□□ **HTC** □□□□□□□□□□ □□□□ □□□ □□ **PCD** □□ □□□□ □□□□ □□□□□□ □□□□□□ □□□□
Epoxy, □□□□, □□□□□□□□ □□□□□□ □□□□□□ PCD □□□ □□□□

□□□□□□□□ □□□□ □□ □□□□□□, epoxy, □□□□ □□ □□□□ □□ □□□□ □□□□ □□□□□□ □□□□□□ □□ □□□□ □□□□□□

● □□□□□□□□□□ □□□□□□□□ □□□□ □□ □□□□□□ □□□□ □□□□ □□

□□□□, □□□□□□□□, □□□□□□, □□□□□□□□, □□□□□□□□□□, VCT □□□□□□□□, □□□□□□ □□□□□□□□ □□ □□□□□□□□
□□□□□□□□ □□ □□□□ □□ □□□□ □□□□□□□□ □□□□ □□□□□□□□ □□ □□□□□□□□ □□ □□□□□□ □□ □□□□ □□ □□□□ □□□□ □□□□ □□□□

□□□□□□ □□□□□□:

□□ PCD □□ □□□□ □□□□ □□ □□□□ □□□□□□□□□□□□□□□□ HTC □□□□□□□□□□ □□□□ □□ □□□□□□□□
□□□□□□□□□□ □□□□□□□□□□ □□□□:

□□□□: □□□□ □□□□ HTC □□□□□□□□□□ □□□□

Material:	# 16- # 270
Segment Size	1/4 PCD * 2T + Alloy * 3T
Material:	Terrazzo
Material:	PCD + Alloy + HTC
Material:	HTC
Material:	HTC

HTC segments are used for the connection of the segments. The segments are made of a special alloy and are designed to fit together perfectly. The segments are made of a special alloy and are designed to fit together perfectly. The segments are made of a special alloy and are designed to fit together perfectly.

HTC Segment:

HTC segments are used for the connection of the segments. The segments are made of a special alloy and are designed to fit together perfectly. The segments are made of a special alloy and are designed to fit together perfectly.



HTC segments are used for the connection of the segments. The segments are made of a special alloy and are designed to fit together perfectly. The segments are made of a special alloy and are designed to fit together perfectly.

HTC Segment:

HTC segments are used for the connection of the segments. The segments are made of a special alloy and are designed to fit together perfectly. The segments are made of a special alloy and are designed to fit together perfectly. epoxy segments are used for the connection of the segments. The segments are made of a special alloy and are designed to fit together perfectly. epoxy segments are used for the connection of the segments. The segments are made of a special alloy and are designed to fit together perfectly.



Grinding Machine



Concrete Grinding Effect

□□□:

□□□ □□□□□ □□□□□ □□ □□□□ □□ □□□ □□□ toughest □□□□□□□□ □□ □□□ □□□□ □□□

□□□□□□□□:

□□□□□□□□ □□□□□ □□ □□□□□□□□, □□ □□□□, □□□□□□ □□□ □□□□ □□□□

□□□□□□□ □□□□□:

本公司 誠聘 經驗 豐富 之 銷售 人員 若干 名
待遇 優厚

請 踴躍 投遞 簡歷 及 學歷 證書 複印 件 至 本公司 人事 部

簡 歷 表: 請 詳細 填寫 個人 基本 信息 及 工作 經歷 等 內容, 並 附上 最近 二寸 半身 彩色 照片 兩 張

簡 歷 表 請 於 2023 年 10 月 10 日 前 寄 到 本公司 人事 部, 逾期 恕不 受理, 簡歷 恕不 退還

本公司 地址: 福建省 泉州 市 晉江 區 永和 鎮 梧坑 村 362342

3. 本公司 誠聘 銷售 人員 若干 名?

本公司 誠聘 銷售 人員 若干 名, 待遇 優厚, 有意者 請 將 簡歷 及 學歷 證書 複印 件 寄 到 本公司 人事 部

簡 歷 表 請 於 2023 年 10 月 10 日 前 寄 到 本公司 人事 部, 逾期 恕不 受理, 簡歷 恕不 退還


本公司 地址: 福建省 泉州 市 晉江 區 永和 鎮 梧坑 村 362342

簡歷 表 填寫 說明:

- 1) 簡歷 表 請 於 2023 年 10 月 10 日 前 寄 到 本公司 人事 部, 逾期 恕不 受理, 簡歷 恕不 退還
- 2) 簡歷 表 請 於 2023 年 10 月 10 日 前 寄 到 本公司 人事 部, 逾期 恕不 受理, 簡歷 恕不 退還
- 3) 簡歷 表 請 於 2023 年 10 月 10 日 前 寄 到 本公司 人事 部, 逾期 恕不 受理, 簡歷 恕不 退還
- 4) 簡歷 表 請 於 2023 年 10 月 10 日 前 寄 到 本公司 人事 部, 逾期 恕不 受理, 簡歷 恕不 退還

簡歷 表 填寫 說明:

Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui 路, Shuitou 鎮 362342 Quanzhou, 福建省 泉州 市

 電話: (+86) 595-86990206 /  電話: (+86) 595-86990220

 手機 / **WhatsApp** / 電話: (+ +) 13559599186

 郵箱: boreway09@boreway.net

 簡歷 表 請