




□□

□□□ □□□□□ □ □□□ □□□□□ □□□□□□□□ □ □□□□ □□□□□

□□□□□ □□□□□:

**Z** □□□ □□□□ □□ □□□□:











# Application





□□□□:

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

□□□□ □□□□: □□□□ □□□□, □□□ □□□□ □□ □□□□, □□□□□□□□ □□□□□□ □□ □□□□□□ □□ □□□□□□ □□□□□□ □□□□

□□□□ □□□□ □□□ □□□□□□□□

□□□□□□ □□□□□□ □□ □□□ □□□□□□□□□□□□ □□□□ □□□ □□□□□□□□ □□□□

□□□□ □□: □□□□□□ □□□ □□□□□□ □□□□□□□□

□□□□ □□: □□□□ □□ 6 / □□ 8 □□□□□□□□ □□ □□□ □□□□□□ □□□□□□□□





