

Introduction:

3 inch Metal Bond Concrete Floor Grinding Block Wheel Polishing Disc are designed to remove coatings on concrete floor to prepare the floor for polishing. Professional design helps remove coatings more evenly and effectively. The segment is hot-pressed and professionally welded on the plate to make sure the density of segment is reasonable and help to extend the life time of the disc.

Feature:

- * High diamond concentration for long life and aggressive material removal.
- * Use dry or wet to smooth concrete or field stone.
- * Proprietary material mix ensures durable.
- * For grinding rough concrete floor, the old Concrete Floor Restoration

Specification:

3 inch Metal Bond Concrete Floor Grinding Block Wheel Polishing Disc

| Diameter | Grit | Holder | Segment No. | Segment Thickness |
|-----------|-----------|-------------|-------------|-------------------|
| 3"(80mm) | #60, #120 | Velcro Back | 10pcs | 8mm |
| 4"(100mm) | #60, #120 | Velcro Back | 10pcs | 8mm |

Picture:

3 inch Metal Bond Concrete Floor Grinding Block Wheel Polishing Disc

boreway®




Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.
Address: Shuitou Town,Quanzhou, Fujian, China
Post Code: 362342
TEL: (+86)595-86990206
FAX: (+86)595-86990220
WhatsApp: +86-15659082992
Email: boreway02@boreway.net