

Introduction:

1. The electroplated diamond polishing pads offer the most aggressive removal rate you can imagine - they are much faster than an impregnated grinding disc because they have 100% diamond exposure. Diamond Electroplated Polishing Pads can be used wet or dry on a sander or grinder, and they operate well at any speed. The pads work on concrete, stone, tile, wood, swimming pool surfaces (the ONLY answer to quickly sanding PebbleTec), metals, even glass. Currently we offer 4" and 5" in diameters with 60#,100#,150#,200#,400# and 600#. Use regular dry or wet diamond polishing pads to finish polishing.
2. BOREWAY can provide three quality (Premium, Standard, Economical) velcro diamond polishing pads, do not confuse these pads with cheap thin pads. Grit coded for easy identification. Velcro backing for quick pad changes;
3. Velcro BUFF polishing pads also could be supplied, it could make materials more brightness.

Features:

1. Easy to use, polishing efficiency is faster;
2. Logo could be customized after communication;
3. High quality resin powder and diamond are adopted;
4. With BUFF pads, polishing brightness is higher than 95 glossness;
5. Adopt the high-quality nylon sticky cloth, adhesion is good and the reusable is not easy to be damaged.

Specification:

Model No	Diameter	Grit	Quality class	Applicable	Holder
BW-DPP-E-SY4050	100mm	60# 100# 150# 200# 400# 600#	Premium Standard Economical	Natural stone Artificial stone Concretes Ceramics	Velcro

Other thickness and diameter can be customized according to need.

Images:


[Click here to visit our ALL DIAMOND POLISHING PADS.](#)

boreway®



boreway®





If you want know more images, please contact us.

[Click here to visit our ALL DIAMOND POLISHING PADS.](#)

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.

Address: Huahui Center 605, Shuitou Town,Quanzhou, Fujian, China

Post Code: 362342

TEL: (+86)595-86990206/(+86)18250633812

FAX: (+86)595-86990220

WhatsApp: +86-18359335376

Facebook: ChoisDong

Email: boreway05@boreway.net