

5 Inch Diamond Saw Blade Disc With Protection Segment Concrete Tile Cutting

Advantage:

Hot pressed blade provide long life


Professional quality, very fast cutting

Can be used Wet/Dry-Multiple Cooling Holes

Primarily designed for Marble, Granite, Stone and Pavers

For use on an Angle Grinder, Wet Stone Saw or Circular Saw

Can also be used on Concrete, Brick, Block, Stone, Masonry Materials and more.



5 Inch Diamond Saw Blade Disc With Protection Segment Concrete Tile Cutting


suitable for fast ,free,smooth cutting.

Sharp Cut, No Chip

Introduction:

Application:

Tile,bricks,brick blocks,
concrete,marble,granite,stone
and many other materials



5 Inch Diamond Saw Blade Disc With Protection Segment Concrete Tile Cutting for fast cutting kinds of hard, medium hard, soft stone, like Granite,

Marble, Sandstone, Limestone etc., and other construction materials like Concrete, Asphalt, Ceramic, Porcelain, Bricks, etc.

Specification:

The following are normal specifications **5 Inch Diamond Saw Blade Disc With Protection Segment Concrete Tile Cutting**:

Diameter		Bore	Segment	Segment					
Inch	mm	Size(mm/inch)	Thickness(mm)	Height(mm)	4	105	20/0.787"	1.8	8/10/12
4.3	110	20/0.787"	1.8	8/10/12					
4.5	115	22.23/0.875"	1.8	8/10/12					
5	125	22.23/0.875"	2.0	8/10/12					
6	150	22.23/0.875"	2.2	8/10/12					
7	180	22.23/0.875"	2.4	8/10/12					
8	200	22.23/0.875"	2.4	8/10/12					
9	230	22.23/0.875"	2.6	8/10/12					
10	250	22.23/0.875"	2.8	8/10/12					

The above specifications is only for reference, other specifications may be available as per customer's demand.

Factory=Quality Control=Competitive Price=Own technology=OEM

Support Sample Processing Customization

Style and Specifications



Contact Salesman

Due to the large number of product specifications and styles, in order to avoid conflicts, please contact the salesman before placing the order.

1

Provide Samples

The manufacturer supports the sample processing and customization, and the buyer provides the sample first to communicate the production requirements.



2



Mail Samples

According to the buyer's demand for proofing, the manufacturer needs the buyer to pay the proofing fee first, and the sample fee will be returned after the order is concluded.

3

Generate Order

The buyer receives the sample. If satisfied, place an order for batch production. After confirming the receipt, contact the salesman to return the proofing cost.



4

5 Inch Diamond Saw Blade Disc With Protection Segment Concrete Tile Cutting

Our factory use original
high grade diamond



pk

Other factory mix second
diamond selected from
waste segment




Our blade cutting effect



pk

Other supplier blade
cutting effect



Applications:

5 Inch Diamond Saw Blade Disc With Protection Segment Concrete Tile

Cutting use for Tile, bricks, brick blocks, concrete, marble, granite, stone and many other materials



Granite



Marble



Concrete



Porcelain tile



Ceramic



Engineered stone

Hot Sintered, Dry or Wet Use!

Applications machine:

5 Inch Saw Blade Disc Protection Segment Concrete Tile

Cutting use for angle grinder, circular saw, masonry saw, table saw



Angle Grinder Machine



Circular Saw Machine



Masonry Saw Machine



Table Saw Machine

Cutting effect:



Related Products:



Boreway Machinery Co., Ltd
www.diamondtools.top
www.boreway.net

300 to 800mm U Groove Shape Segments



Boreway Machinery Co., Ltd
www.diamondtools.top
www.boreway.net


Multiple Purposes Diamond Tools

About us:

40 Inch Premium Quality Diamond tips



● Cold Press Mschine



● Fill The Mold



● The Product Polishing



● Hot Press Machinery



● Remove The Mold



● Packing







Packing □ Delivery:

PS:

- 1.Tools packing in carton cases
- 2.By Air/Sea for batch goods, Airport/Port receiving
- 3.Less than 45kg, generally delivery by express(Door to Door)□
- 4.When tools are in large quantities, they are packing in wooden cases



Our service:

1. Low order quantity: It can meet the test order you need.
2. Fast delivery: We get great discounts from freight forwarders.
3. OEM Acceptable: We can produce according to your samples or drawings.
4. Good quality: We have a strict quality control system. Has a good reputation in the market.
5. Good service: We regard our customers as God with a high degree of professionalism and enthusiasm.

FAQ:

1. If we want to order your product, how do we know your quality?

You can test with a small order, and then you will know the quality. Nowadays, many people in the world use Chinese products because of their high quality and high cost performance. We are a professional diamond tool manufacturer with more than 8 years of manufacturing experience.

2. Can you provide samples for free?

We do not provide free samples. Based on years of experience, we believe that customers will want them because of their reliable quality. By purchasing samples, we will cherish and appreciate them and make them get more. We are ready to offer our potential customers a special discount on samples. It's very important that you give us feedback, and we will

appreciate it.

3. Does your company accept customization?

Of course, we accept customization. Including different colors, cutting objects, etc. We can also tag your own label and company brand. If you want us to make any new products for you, just send your products to us. Whether it's drawings or samples, we have the ability to produce the same products. We will not sell these products to others, only customers can get permission.

Please note:

Please use high frequency Silver Welded machine instead of Fire to make the brazing, the welding time is only a few seconds, otherwise the diamond inside the segments will probably be damaged by the high temperature, then the cutting performance will be Reduced!

Contact us:

Fujian Nanan **boreway** Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /



Fax: (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 18650679939



E-mail: boreway@boreway.com



Lyon Chang