### Introduction:

BWM-HJ350 Diamond saw blade welding rack welding for saw blades with diameters from ø400mm to ø3500mm (standard 1800mm). It is a new type of high-frequency welding auxiliary equipment for diamond saw blades. It can automatically complete high-frequency heating, rapid cooling, tool holder and other operations. Easy to install, easy to connect 220V power supply, water intake, water outlet, you can work without professional installation. Small size, light weight, simple operation, general training can be operated simply.

#### Feature:

- 1. High efficiency and accuracy, low energy consumption.
- 2.Can be used for welding gang saw blade after specially modification.
- 3.Compact structure, purchasing accessories easily, most of the wearing parts can be found in the pneumatic tools shop in your side, rather than relying on the service agents.

## **Specification:**

Specification of BWM-HJ350 Diamond saw blade welding rack□

Mod	el No: BWM-HJ350
Welding Range	Φ400mm - 3500mm(standard Φ1800mm)
Verticality	≤± 0.3mm
Parallelism	≤± 0.3mm
Welding Rate(Segments Qty/Min)	6-12 PCS/Min
Air Pressure	0.3 - 0.6Mpa
Water Pressure	≥ 0.2Mpa
Voltage	220V (Single-phase)50Hz
Power(From LED Light)	550W
Water Consumption	1.5 - 2m³/h
Machine Dimensions	L900*W700*H2400mm
Equipment Weight	330Kg
Package Dimensions	L2530*W960*H780(Horizontally)
Package Weight(Wooden Package)	380Kg

Noted:This of welding frame is not equipped with high frequency machine, air compressor, water pump, if necessary, can be another random frame configuration.

### **Picture:**

BWM-HJ350 Diamond saw blade welding rack























## Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd. Address: Shuitou Town,Quanzhou, Fujian, China

**Post Code:** 362342

TEL: (+86)595-86990206 FAX: (+86)595-86990220 WhatsApp:+86-18650679939 Email:boreway02@boreway.net