

Introduction:

Diamond rock concrete core drill bit with detachable adapter is suitable for stand drilling machine, electrical hand-held

drillers to drill concrete and other construction materials. The detachable adapter method proves the advantages as

high efficiency and flexible.

Features:

1. High efficiency and long lifespan.
2. Ideal design of detachable adapter can offer high flexible drilling.

Specifications:

The followings are the normal specifications of our diamond rock concrete core drill bit with detachable adapter:

| Code No. | Diameter | Segment Size | Use | Pipe Length | Welding Method | Adaptor |
|------------|----------------|--------------|------------|---------------|---------------------------------|----------------------|
| BW-DCDB-00 | 20mm (3/4") | 17/12x3x10 | Dry or Wet | 100mm or 85mm | Silver Welding or Laser Welding | 5/8"-11 M14 1/2" Gas |
| | 22mm (7/8") | 17/12x3x10 | | | | |
| | 25mm (1") | 17/12x3x10 | | | | |
| | 29mm (1-1/8") | 17/12x3x10 | | | | |
| | 32mm (1-1/4") | 16x3x10 | | | | |
| | 35mm (1-3/8") | 16x3x10 | | | | |
| | 38mm (1-1/2") | 16x3x10 | | | | |
| | 42mm (1-5/8") | 16x3x10 | | | | |
| | 45mm (1-3/4") | 16x3x10 | | | | |
| | 50/51mm (2") | 16x3x10 | | | | |
| | 57mm (2-1/4") | 22x3.5x10 | | | | |
| | 60mm (2-3/8") | 22x3.5x10 | | | | |
| | 63mm (2-1/2") | 22x3.5x10 | | | | |
| | 70mm (2-3/4") | 22x3.5x10 | | | | |
| | 76mm (3") | 22x3.5x10 | | | | |
| | 80mm (3-1/8") | 22x3.5x10 | | | | |
| | 89mm (3-1/2") | 22x3.5x10 | | | | |
| | 102mm (4") | 22x3.5x10 | | | | |
| | 110mm (4-3/8") | 22x3.5x10 | | | | |
| | 127mm (5") | 24x4x10 | | | | |

The above specifications are for reference, other specifications can be ordered by customers.

Picture Of Product:

Diamond rock concrete core drill bit with detachable adapter

boreway®



Boreway Machinery Co., Ltd
www.boreway.com

boreway®



Boreway Machinery Co., Ltd
www.boreway.com